

# BSD 00, 000, 000 0000

## Abstract

00000000 00000000 0000 "00000000 00000000" 0000 000 00000000 00 0000 0000 0000 000000 00000000'0  
00000000 000000000 00000000 0000 0000000000 000000000 00000000 00000000 00000000 0000 00 00000000 00000000  
000000000000 0000 000000 00000000 00.0% 00000000000 00000000 0000 00 0000000000 00 00.0% 00000000000 00000000  
00 BSD 000000000 000000000 0000000000; 0000000000 00000000 0000000000000000 0000000, 00000, [Yahoo!](#) BSD 00000000  
00000000 0000 0000000 0000000000 FTP 00000000 [ftp.cdrom.com](#) BSD 00000000 0000 0000000000 000000 0.0  
000000000 0000 00000 0000000 0000 00000000 BSD'0 000000 00 00000000 0000, 0000 0000 00000000 0000 BSD 0000  
0000000000 00000000 00000 00000000

BSD'0 000000000 00000000 000000 00 0000 000000 0000 ? 00 0000000000 0000 00000 0000 00000 00000000000000 00 000000  
000000000000

00 0000000000 BSD 0 000000000000 00 0000000000000000 000000 00000000 0000 00000

## Table of Contents

1. BSD 00 ? .....	1
2. 000 0000000!!! 0000 0000 00 ? .....	2
3. BSD 000 000000000 00 ? .....	3
4. BSD 0000 0000000000 .....	3

## 1. BSD 00 ?

BSD 0000 00 *Berkley Software Distribution* 0 000000000000 BSD 0000 0000000000000000 0000000000000000,  
00000000 0000 0000000000 000000000000 00000000 0000 AT&T'0 000000000000 000000000 0000000000 0000 00000000  
0000 00 0000000000 0000 00000000 4.4BSD-Lite 0000 00000000 00 0000000000 00000000 0000 0000 00000000 0000000000  
0000000000 0000000000 0000 00000000 00 00000000000000 0000 00000 0000000000 00000000000 00000000 00000000  
0000, 0000 000000 00000000000000 00 00000 (GNU) 00000000000 0000000000000000 0000 BSD 0000000000 0000000000 00000000  
00000000 00 0

### BSD 00000000

0000 000000000 0000000000 000000 0000 0 000000 000000 0000 0000 00000000 00000000 000000 0000000000 0000000000 000000  
000000 00000000 000000000000 00000000000 00000

00000000 00000000 00, 00000000000 000000000 00000 00000 000000000000 0000000, 00000000 BSD 00000000000 00000000  
00000000 0000 00000 000000000000 000000 0000000000000000 0000 00000000000 000000000000 0000

### C 0000000000

0000 00 0000000000 00000000000 API 0000000000 0000 0000000000

BSD C 000000000000 0000000000 0000000000 0000000000 0000, 000000 (GNU) 00000000000000 0000 00000 0000





## 4.2. BSD 2-Clause License

BSD 2-Clause License is a simple license that allows you to use the software for any purpose, in any medium, without restriction, provided you keep the original copyright notice and the license text in the source code.

The BSD 2-Clause License is a simple license that allows you to use the software for any purpose, in any medium, without restriction, provided you keep the original copyright notice and the license text in the source code.

This license is a simple license that allows you to use the software for any purpose, in any medium, without restriction, provided you keep the original copyright notice and the license text in the source code.

### License

The BSD 2-Clause License is a simple license that allows you to use the software for any purpose, in any medium, without restriction, provided you keep the original copyright notice and the license text in the source code.

This license is a simple license that allows you to use the software for any purpose, in any medium, without restriction, provided you keep the original copyright notice and the license text in the source code. (Principal Architect) is the primary person responsible for the design and development of the software. The "Backing Out" clause in the BSD license allows you to use the software for any purpose, in any medium, without restriction, provided you keep the original copyright notice and the license text in the source code.

### Core Team

FreeBSD and NetBSD are licensed under the BSD 2-Clause License. The Core Team consists of the following members: [List of names].

BSD 2-Clause License is a simple license that allows you to use the software for any purpose, in any medium, without restriction, provided you keep the original copyright notice and the license text in the source code.

1. The BSD 2-Clause License is a simple license that allows you to use the software for any purpose, in any medium, without restriction, provided you keep the original copyright notice and the license text in the source code. (Chief Architect) is the primary person responsible for the design and development of the software.
2. BSD 2-Clause License is a simple license that allows you to use the software for any purpose, in any medium, without restriction, provided you keep the original copyright notice and the license text in the source code.
3. The BSD 2-Clause License is a simple license that allows you to use the software for any purpose, in any medium, without restriction, provided you keep the original copyright notice and the license text in the source code.

4. 通常情況下，CVS 是 BSD 的代碼庫。CVS 是 BSD 的代碼庫。CVS 是 BSD 的代碼庫。CVS 是 BSD 的代碼庫。

通常情況下，BSD 是代碼庫。通常情況下，BSD 是代碼庫。通常情況下，BSD 是代碼庫。通常情況下，BSD 是代碼庫。

1. 通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。
2. 通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。
3. RELEASE 通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。

### 4.3. BSD'의 分類

通常情況下，BSD 是代碼庫。通常情況下，BSD 是代碼庫。通常情況下，BSD 是代碼庫。通常情況下，BSD 是代碼庫。

通常情況下，BSD 是代碼庫。通常情況下，BSD 是代碼庫。通常情況下，BSD 是代碼庫。通常情況下，BSD 是代碼庫。

- FreeBSD'의 分類은 通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。
- NetBSD 通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。
- OpenBSD'의 分類은 通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。通常情況下，CVS 是 BSD 的代碼庫。

BSD license and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X

- 4.4 BSD license and other licenses are used in BSD/OS and Mac OS X, and FreeBSD's BSD/OS license is also used
- BSD license and other licenses are used in Mac OS X and FreeBSD's BSD license is also used

### 4.4. BSD and GNU licenses

BSD license and GNU General Public License (GPL) are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to the user.

### 4.5. BSD license and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to the user.

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to the user.

### 4.6. BSD, GPL, and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to the user.

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to the user.

- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to the user.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to the user.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to the user.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are more restrictive. BSD license allows for the use of the code in both source and binary form, while GPL requires that the source code be made available to the user.

- 0000000000 00000000 BSD'00 0000000 000000 0000 00000000 000000 0000 00 0000 0000000000 0000000000 0000000000 00000000 00000000 BSD'0 0000000000 00000000 0000000000 000000 0000000

## 4.7. BSD 000000000000 000000 0 0000000000000

BSDi 00000000 BSD/OS 000000000000 00000 00000 00000000 0000000000 00000 FreeBSD 0000000000 00000 00000000 00000000 000000000

00000000 FreeBSD, NetBSD 0 OpenBSD'0 00000000000 0000000000 000000 0000000 00000 0000000000000 0000000000 00000000000 00000000000 00000 00000 0000000 00000