

# Package ‘mggd’

July 5, 2024

**Title** Multivariate Generalised Gaussian Distribution; Kullback-Leibler Divergence

**Version** 1.3.1

**Maintainer** Pierre Santagostini <pierre.santagostini@agrocampus-ouest.fr>

**Description** Distance between multivariate generalised Gaussian distributions, as presented by N. Bouhlef and A. Dziri (2019) <doi:10.1109/LSP.2019.2915000>. Manipulation of multivariate generalised Gaussian distributions (methods presented by Gomez, Gomez-Villegas and Marin (1998) <doi:10.1080/03610929808832115> and Pascal, Bombrun, Tourneret and Berthoumieu (2013) <doi:10.1109/TSP.2013.2282909>).

**Depends** R (>= 4.3.0)

**Imports** MASS, rgl, lifecycle, data.table

**License** GPL (>= 3)

**URL** <https://forgemia.inra.fr/imhorphen/mggd>

**BugReports** <https://forgemia.inra.fr/imhorphen/mggd/-/issues>

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**Suggests** testthat (>= 3.0.0)

**Config/testthat/edition** 3

**NeedsCompilation** no

**Author** Pierre Santagostini [aut, cre],  
Nizar Bouhlef [aut]

**Repository** CRAN

**Date/Publication** 2024-07-05 12:50:02 UTC

## Contents

mggd-package . . . . .	2
contourmggd . . . . .	3
dmggd . . . . .	4
estparmggd . . . . .	6

kldggd . . . . .	7
lauricella . . . . .	9
lnpochhammer . . . . .	10
plotmggd . . . . .	11
pochhammer . . . . .	12
rmggd . . . . .	13
<b>Index</b>	<b>15</b>

mggd-package

*Tools for Multivariate Generalized Gaussian Distributions*

## Description

This package provides tools for multivariate generalized Gaussian distributions (MGGD):

- Calculation of distances/divergences between multivariate generalized Gaussian distributions:
  - Kullback-Leibler divergence: [kldggd](#)
- Tools for MGGD:
  - Probability density: [dmggd](#)
  - Estimation of the parameters: [estparmggd](#)
  - Simulation from a MGGD: [rmggd](#)
  - Plot of the density of a MGGD with 2 variables: [plotmggd](#), [contourmggd](#)

## Author(s)

Pierre Santagostini [pierre.santagostini@agrocampus-ouest.fr](mailto:pierre.santagostini@agrocampus-ouest.fr), Nizar Bouhlef [nizar.bouhlef@agrocampus-ouest.fr](mailto:nizar.bouhlef@agrocampus-ouest.fr)

## References

- N. Bouhlef, A. Dziri, Kullback-Leibler Divergence Between Multivariate Generalized Gaussian Distributions. IEEE Signal Processing Letters, vol. 26 no. 7, July 2019. [doi:10.1109/LSP.2019.2915000](https://doi.org/10.1109/LSP.2019.2915000)
- E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. Commun. Statist. 1998, Theory Methods, col. 27, no. 23, p 589-600. [doi:10.1080/03610929808832115](https://doi.org/10.1080/03610929808832115)
- F. Pascal, L. Bombrun, J.Y. Tourneret, Y. Berthoumieu. Parameter Estimation For Multivariate Generalized Gaussian Distribution. IEEE Trans. Signal Processing, vol. 61 no. 23, p. 5960-5971, Dec. 2013. [doi:10.1109/TSP.2013.2282909](https://doi.org/10.1109/TSP.2013.2282909) #’ @keywords internal

## See Also

Useful links:

- <https://forgemia.inra.fr/imhorphen/mggd>
- Report bugs at <https://forgemia.inra.fr/imhorphen/mggd/-/issues>

**Description**

Draws the contour plot of the probability density of the generalised Gaussian distribution with 2 variables with mean vector  $\mu$ , dispersion matrix  $\Sigma$  and shape parameter  $\beta$ .

**Usage**

```
contourmggd(mu, Sigma, beta,
            xlim = c(mu[1] + c(-10, 10)*Sigma[1, 1]),
            ylim = c(mu[2] + c(-10, 10)*Sigma[2, 2]),
            zlim = NULL, npt = 30, nx = npt, ny = npt,
            main = "Multivariate generalised Gaussian density",
            sub = NULL, nlevels = 10,
            levels = pretty(zlim, nlevels), tol = 1e-6, ...)
```

**Arguments**

<code>mu</code>	length 2 numeric vector.
<code>Sigma</code>	symmetric, positive-definite square matrix of order 2. The dispersion matrix.
<code>beta</code>	positive real number. The shape of the first distribution.
<code>xlim, ylim</code>	x-and y- limits.
<code>zlim</code>	z- limits. If NULL, it is the range of the values of the density on the x and y values within <code>xlim</code> and <code>ylim</code> .
<code>npt</code>	number of points for the discretisation.
<code>nx, ny</code>	number of points for the discretisation among the x- and y- axes.
<code>main, sub</code>	main and sub title, as for <a href="#">title</a> .
<code>nlevels, levels</code>	arguments to be passed to the <a href="#">contour</a> function.
<code>tol</code>	tolerance (relative to largest variance) for numerical lack of positive-definiteness in <code>Sigma</code> , for the estimation of the density. see <a href="#">dmggd</a> .
<code>...</code>	additional arguments to <a href="#">plot.window</a> , <a href="#">title</a> , <a href="#">Axis</a> and <a href="#">box</a> , typically <a href="#">graphical parameters</a> such as <code>cex.axis</code> .

**Value**

Returns invisibly the probability density function.

**Author(s)**

Pierre Santagostini, Nizar Bouhlel

## References

E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. *Commun. Statist. Theory Methods*, col. 27, no. 23, p 589-600. doi:[10.1080/03610929808832115](https://doi.org/10.1080/03610929808832115)

## See Also

[plotmggd](#): plot of a bivariate generalised Gaussian density.

[dmggd](#): Probability density of a multivariate generalised Gaussian distribution.

## Examples

```
mu <- c(1, 4)
Sigma <- matrix(c(0.8, 0.2, 0.2, 0.2), nrow = 2)
beta <- 0.74
contourmggd(mu, Sigma, beta)
```

---

dmggd

*Density of a Multivariate Generalized Gaussian Distribution*

---

## Description

Density of the multivariate ( $p$  variables) generalized Gaussian distribution (MGGD) with mean vector  $\mu$ , dispersion matrix  $\Sigma$  and shape parameter  $\beta$ .

## Usage

```
dmggd(x, mu, Sigma, beta, tol = 1e-6)
```

## Arguments

<code>x</code>	length $p$ numeric vector.
<code>mu</code>	length $p$ numeric vector. The mean vector.
<code>Sigma</code>	symmetric, positive-definite square matrix of order $p$ . The dispersion matrix.
<code>beta</code>	positive real number. The shape of the distribution.
<code>tol</code>	tolerance (relative to largest variance) for numerical lack of positive-definiteness in $\Sigma$ .

## Details

The density function of a multivariate generalized Gaussian distribution is given by:

$$f(\mathbf{x}|\boldsymbol{\mu}, \Sigma, \beta) = \frac{\Gamma\left(\frac{p}{2}\right)}{\pi^{\frac{p}{2}} \Gamma\left(\frac{p}{2\beta}\right)} \frac{\beta}{2^{\frac{p}{2\beta}} |\Sigma|^{\frac{1}{2}}} e^{-\frac{1}{2}((\mathbf{x}-\boldsymbol{\mu})^T \Sigma^{-1} (\mathbf{x}-\boldsymbol{\mu}))^\beta}$$

When  $p = 1$  (univariate case) it becomes:

$$f(x|\mu, \sigma, \beta) = \frac{\Gamma\left(\frac{1}{2}\right)}{\pi^{\frac{1}{2}} \Gamma\left(\frac{1}{2\beta}\right)} \frac{\beta}{2^{\frac{1}{2\beta}} \sigma^{\frac{1}{2}}} e^{-\frac{1}{2}\left(\frac{(x-\mu)^2}{2\sigma}\right)^\beta} = \frac{\beta}{\Gamma\left(\frac{1}{2\beta}\right) 2^{\frac{1}{2\beta}} \sqrt{\sigma}} e^{-\frac{1}{2}\left(\frac{(x-\mu)^2}{\sigma}\right)^\beta}$$

## Value

The value of the density.

## Author(s)

Pierre Santagostini, Nizar Bouhlel

## References

E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. Commun. Statist. 1998, Theory Methods, col. 27, no. 23, p 589-600.  
doi:[10.1080/03610929808832115](https://doi.org/10.1080/03610929808832115)

## See Also

[rmggd](#): random generation from a MGGD.

[estparmggd](#): estimation of the parameters of a MGGD.

[plotmggd](#), [contourmggd](#): plot of the probability density of a bivariate generalised Gaussian distribution.

## Examples

```
mu <- c(0, 1, 4)
Sigma <- matrix(c(0.8, 0.3, 0.2, 0.3, 0.2, 0.1, 0.2, 0.1, 0.2), nrow = 3)
beta <- 0.74
dmggd(c(0, 1, 4), mu, Sigma, beta)
dmggd(c(1, 2, 3), mu, Sigma, beta)
```

---

estparmggd	<i>Estimation of the Parameters of a Multivariate Generalized Gaussian Distribution</i>
------------	---

---

### Description

Estimation of the mean vector, dispersion matrix and shape parameter of a multivariate generalized Gaussian distribution (MGGD).

### Usage

```
estparmggd(x, eps = 1e-6, display = FALSE, plot = display)
```

### Arguments

x	numeric matrix or data frame.
eps	numeric. Precision for the estimation of the beta parameter.
display	logical. When TRUE the value of the beta parameter at each iteration is printed.
plot	logical. When TRUE the successive values of the beta parameter are plotted, allowing to visualise its convergence.

### Details

The  $\mu$  parameter is the mean vector of  $x$ .

The dispersion matrix  $\Sigma$  and shape parameter:  $\beta$  are computed using the method presented in Pascal et al., using an iterative algorithm.

The precision for the estimation of beta is given by the eps parameter.

### Value

A list of 3 elements:

- mu the mean vector.
- Sigma: symmetric positive-definite matrix. The dispersion matrix.
- beta non-negative numeric value. The shape parameter.

with two attributes `attr(, "epsilon")` (precision of the result) and `attr(, "k")` (number of iterations).

### Author(s)

Pierre Santagostini, Nizar Bouhlel

### References

F. Pascal, L. Bombrun, J.Y. Tourneret, Y. Berthoumieu. Parameter Estimation For Multivariate Generalized Gaussian Distribution. IEEE Trans. Signal Processing, vol. 61 no. 23, p. 5960-5971, Dec. 2013. doi: [10.1109/TSP.2013.2282909](https://doi.org/10.1109/TSP.2013.2282909)

**See Also**

[dmggd](#): probability density of a MGGD.

[rmggd](#): random generation from a MGGD.

**Examples**

```
mu <- c(0, 1, 4)
Sigma <- matrix(c(0.8, 0.3, 0.2, 0.3, 0.2, 0.1, 0.2, 0.1, 0.2), nrow = 3)
beta <- 0.74
x <- rmggd(100, mu, Sigma, beta)

# Estimation of the parameters
estparmggd(x)
```

---

kldggd	<i>Kullback-Leibler Divergence between Centered Multivariate generalized Gaussian Distributions</i>
--------	---

---

**Description**

Computes the Kullback- Leibler divergence between two random variables distributed according to multivariate generalized Gaussian distributions (MGGD) with zero means.

**Usage**

```
kldggd(Sigma1, beta1, Sigma2, beta2, eps = 1e-06)
```

**Arguments**

Sigma1	symmetric, positive-definite matrix. The dispersion matrix of the first distribution.
beta1	positive real number. The shape parameter of the first distribution.
Sigma2	symmetric, positive-definite matrix. The dispersion matrix of the second distribution.
beta2	positive real number. The shape parameter of the second distribution.
eps	numeric. Precision for the computation of the Lauricella function (see <a href="#">lauricella</a> ). Default: 1e-06.

**Details**

Given  $\mathbf{X}_1$ , a random vector of  $\mathbb{R}^p$  ( $p > 1$ ) distributed according to the MGGD with parameters  $(\mathbf{0}, \Sigma_1, \beta_1)$  and  $\mathbf{X}_2$ , a random vector of  $\mathbb{R}^p$  distributed according to the MGGD with parameters  $(\mathbf{0}, \Sigma_2, \beta_2)$ .

The Kullback-Leibler divergence between  $X_1$  and  $X_2$  is given by:

$$KL(\mathbf{X}_1||\mathbf{X}_2) = \ln \left( \frac{\beta_1 |\Sigma_1|^{-1/2} \Gamma\left(\frac{p}{2\beta_2}\right)}{\beta_2 |\Sigma_2|^{-1/2} \Gamma\left(\frac{p}{2\beta_1}\right)} \right) + \frac{p}{2} \left( \frac{1}{\beta_2} - \frac{1}{\beta_1} \right) \ln 2 - \frac{p}{2\beta_2} + 2^{\frac{\beta_2}{\beta_1}-1} \frac{\Gamma\left(\frac{\beta_2}{\beta_1} + \frac{p}{\beta_1}\right)}{\Gamma\left(\frac{p}{2\beta_1}\right)} \lambda_p^{\beta_2}$$

$$\times F_D^{(p-1)} \left( -\beta_1; \underbrace{\frac{1}{2}, \dots, \frac{1}{2}}_{p-1}; \frac{p}{2}; 1 - \frac{\lambda_{p-1}}{\lambda_p}, \dots, 1 - \frac{\lambda_1}{\lambda_p} \right)$$

where  $\lambda_1 < \dots < \lambda_{p-1} < \lambda_p$  are the eigenvalues of the matrix  $\Sigma_1 \Sigma_2^{-1}$  and  $F_D^{(p-1)}$  is the Lauricella  $D$ -hypergeometric Function.

This computation uses the [lauricella](#) function.

When  $p = 1$  (univariate case): let  $X_1$ , a random variable distributed according to the generalized Gaussian distribution with parameters  $(0, \sigma_1, \beta_1)$  and  $X_2$ , a random variable distributed according to the generalized Gaussian distribution with parameters  $(0, \sigma_2, \beta_2)$ .

$$KL(X_1||X_2) = \ln \left( \frac{\frac{\beta_1}{\sqrt{\sigma_1}} \Gamma\left(\frac{1}{2\beta_2}\right)}{\frac{\beta_2}{\sqrt{\sigma_2}} \Gamma\left(\frac{1}{2\beta_1}\right)} \right) + \frac{1}{2} \left( \frac{1}{\beta_2} - \frac{1}{\beta_1} \right) \ln 2 - \frac{1}{2\beta_2} + 2^{\frac{\beta_2}{\beta_1}-1} \frac{\Gamma\left(\frac{\beta_2}{\beta_1} + \frac{1}{\beta_1}\right)}{\Gamma\left(\frac{1}{2\beta_1}\right)} \left( \frac{\sigma_1}{\sigma_2} \right)^{\beta_2}$$

## Value

A numeric value: the Kullback-Leibler divergence between the two distributions, with two attributes `attr(, "epsilon")` (precision of the result of the Lauricella function; 0 if the distributions are univariate) and `attr(, "k")` (number of iterations).

## Author(s)

Pierre Santagostini, Nizar Bouhlef

## References

N. Bouhlef, A. Dziri, Kullback-Leibler Divergence Between Multivariate Generalized Gaussian Distributions. IEEE Signal Processing Letters, vol. 26 no. 7, July 2019. doi:[10.1109/LSP.2019.2915000](https://doi.org/10.1109/LSP.2019.2915000)

## See Also

[dmggd](#): probability density of a MGGD.

## Examples

```
beta1 <- 0.74
beta2 <- 0.55
Sigma1 <- matrix(c(0.8, 0.3, 0.2, 0.3, 0.2, 0.1, 0.2, 0.1, 0.2), nrow = 3)
Sigma2 <- matrix(c(1, 0.3, 0.2, 0.3, 0.5, 0.1, 0.2, 0.1, 0.7), nrow = 3)

# Kullback-Leibler divergence
kl12 <- kldggd(Sigma1, beta1, Sigma2, beta2)
```



```

k121 <- kldggd(Sigma2, beta2, Sigma1, beta1)
print(k112)
print(k121)

# Distance (symmetrized Kullback-Leibler divergence)
kldist <- as.numeric(k112) + as.numeric(k121)
print(kldist)

```

---

lauricella

*Lauricella D-Hypergeometric Function*


---

### Description

Computes the Lauricella  $D$ -hypergeometric Function function.

### Usage

```
lauricella(a, b, g, x, eps = 1e-06)
```

### Arguments

a	numeric.
b	numeric vector.
g	numeric.
x	numeric vector. x must have the same length as b.
eps	numeric. Precision for the nested sums (default 1e-06).

### Details

If  $n$  is the length of the  $b$  and  $x$  vectors, the Lauricella  $D$ -hypergeometric Function function is given by:

$$F_D^{(n)}(a, b_1, \dots, b_n, g; x_1, \dots, x_n) = \sum_{m_1 \geq 0} \dots \sum_{m_n \geq 0} \frac{(a)_{m_1 + \dots + m_n} (b_1)_{m_1} \dots (b_n)_{m_n}}{(g)_{m_1 + \dots + m_n}} \frac{x_1^{m_1}}{m_1!} \dots \frac{x_n^{m_n}}{m_n!}$$

where  $(x)_p$  is the Pochhammer symbol (see [pochhammer](#)).

If  $|x_i| < 1, i = 1, \dots, n$ , this sum converges. Otherwise there is an error.

The `eps` argument gives the required precision for its computation. It is the `attr(, "epsilon")` attribute of the returned value.

Sometimes, the convergence is too slow and the required precision cannot be reached. If this happens, the `attr(, "epsilon")` attribute is the precision that was really reached.

### Value

A numeric value: the value of the Lauricella function, with two attributes `attr(, "epsilon")` (precision of the result) and `attr(, "k")` (number of iterations).

**Author(s)**

Pierre Santagostini, Nizar Bouhlel

**References**

N. Bouhlel, A. Dziri, Kullback-Leibler Divergence Between Multivariate Generalized Gaussian Distributions. IEEE Signal Processing Letters, vol. 26 no. 7, July 2019. doi:[10.1109/LSP.2019.2915000](https://doi.org/10.1109/LSP.2019.2915000)

---

Inpochhammer

*Logarithm of the Pochhammer Symbol*

---

**Description**

Computes the logarithm of the Pochhammer symbol.

**Usage**

`Inpochhammer(x, n)`

**Arguments**

<code>x</code>	numeric.
<code>n</code>	positive integer.

**Details**

The Pochhammer symbol is given by:

$$(x)_n = \frac{\Gamma(x+n)}{\Gamma(x)} = x(x+1)\dots(x+n-1)$$

So, if  $n > 0$ :

$$\log((x)_n) = \log(x) + \log(x+1) + \dots + \log(x+n-1)$$

If  $n = 0$ ,  $\log((x)_n) = \log(1) = 0$

**Value**

Numeric value. The logarithm of the Pochhammer symbol.

**Author(s)**

Pierre Santagostini, Nizar Bouhlel

**See Also**

[pochhammer\(\)](#)

**Examples**

```

lepochhammer(2, 0)
lepochhammer(2, 1)
lepochhammer(2, 3)

```

---

plotmggd

*Plot of the Bivariate Generalised Gaussian Density*


---

**Description**

Plots the probability density of the generalised Gaussian distribution with 2 variables with mean vector  $\mu$ , dispersion matrix  $\Sigma$  and shape parameter  $\beta$ .

**Usage**

```

plotmggd(mu, Sigma, beta, xlim = c(mu[1] + c(-10, 10)*Sigma[1, 1]),
         ylim = c(mu[2] + c(-10, 10)*Sigma[2, 2]), n = 101,
         xvals = NULL, yvals = NULL, xlab = "x", ylab = "y",
         zlab = "f(x,y)", col = "gray", tol = 1e-6, ...)

```

**Arguments**

mu	length 2 numeric vector.
Sigma	symmetric, positive-definite square matrix of order 2. The dispersion matrix.
beta	positive real number. The shape of the distribution.
xlim, ylim	x-and y- limits.
n	A one or two element vector giving the number of steps in the x and y grid, passed to <a href="#">plot3d.function</a> .
xvals, yvals	The values at which to evaluate x and y. If used, xlim and/or ylim are ignored.
xlab, ylab, zlab	The axis labels.
col	The color to use for the plot. See <a href="#">plot3d.function</a> .
tol	tolerance (relative to largest variance) for numerical lack of positive-definiteness in Sigma, for the estimation of the density. see <a href="#">dmggd</a> .
...	Additional arguments to pass to <a href="#">plot3d.function</a> .

**Value**

Returns invisibly the probability density function.

**Author(s)**

Pierre Santagostini, Nizar Bouhlel

**References**

E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. *Commun. Statist.* 1998, Theory Methods, col. 27, no. 23, p 589-600.  
[doi:10.1080/03610929808832115](https://doi.org/10.1080/03610929808832115)

**See Also**

[contourmgd](#): contour plot of a bivariate generalised Gaussian density.

[dmgd](#): Probability density of a multivariate generalised Gaussian distribution.

**Examples**

```
mu <- c(1, 4)
Sigma <- matrix(c(0.8, 0.2, 0.2, 0.2), nrow = 2)
beta <- 0.74
plotmgd(mu, Sigma, beta)
```

---

pochhammer

*Pochhammer Symbol*

---

**Description**

Computes the Pochhammer symbol.

**Usage**

```
pochhammer(x, n)
```

**Arguments**

x                    numeric.  
n                    positive integer.

**Details**

The Pochhammer symbol is given by:

$$(x)_n = \frac{\Gamma(x+n)}{\Gamma(x)} = x(x+1)\dots(x+n-1)$$

**Value**

Numeric value. The value of the Pochhammer symbol.

**Author(s)**

Pierre Santagostini, Nizar Bouhlel

**Examples**

```
pochhammer(2, 0)
pochhammer(2, 1)
pochhammer(2, 3)
```

---

 rmggd

---

*Simulate from a Multivariate Generalized Gaussian Distribution*


---

**Description**

Produces one or more samples from a multivariate ( $p$  variables) generalized Gaussian distribution (MGGD).

**Usage**

```
rmggd(n = 1 , mu, Sigma, beta, tol = 1e-6)
```

**Arguments**

n	integer. Number of observations.
mu	length $p$ numeric vector. The mean vector.
Sigma	symmetric, positive-definite square matrix of order $p$ . The dispersion matrix.
beta	positive real number. The shape of the distribution.
tol	tolerance (relative to largest variance) for numerical lack of positive-definiteness in Sigma.

**Details**

A sample from a centered MGGD with dispersion matrix  $\Sigma$  and shape parameter  $\beta$  can be generated using:

$$X = \tau \Sigma^{1/2} U$$

where  $U$  is a random vector uniformly distributed on the unit sphere and  $\tau$  is such that  $\tau^{2\beta}$  is generated from a distribution Gamma with shape parameter  $\frac{p}{2\beta}$  and scale parameter 2.

This property is used to generate a sample from a MGGD.

**Value**

A matrix with  $p$  columns and  $n$  rows.

**Author(s)**

Pierre Santagostini, Nizar Bouhlel

**References**

E. Gomez, M. Gomez-Villegas, H. Marin. A Multivariate Generalization of the Power Exponential Family of Distribution. *Commun. Statist. Theory Methods*, col. 27, no. 23, p 589-600.  
[doi:10.1080/03610929808832115](https://doi.org/10.1080/03610929808832115)

**See Also**

[dmggd](#): probability density of a MGGD..

[estparmggd](#): estimation of the parameters of a MGGD.

**Examples**

```
mu <- c(0, 0, 0)
Sigma <- matrix(c(0.8, 0.3, 0.2, 0.3, 0.2, 0.1, 0.2, 0.1, 0.2), nrow = 3)
beta <- 0.74
rmggd(100, mu, Sigma, beta)
```

# Index

Axis, [3](#)

box, [3](#)

contour, [3](#)

contourmggd, [2](#), [3](#), [5](#), [12](#)

dmggd, [2-4](#), [4](#), [7](#), [8](#), [11](#), [12](#), [14](#)

estparmggd, [2](#), [5](#), [6](#), [14](#)

graphical parameters, [3](#)

kldggd, [2](#), [7](#)

lauricella, [7](#), [8](#), [9](#)

lnpochhammer, [10](#)

mggd (mggd-package), [2](#)

mggd-package, [2](#)

plot.window, [3](#)

plot3d.function, [11](#)

plotmggd, [2](#), [4](#), [5](#), [11](#)

pochhammer, [9](#), [12](#)

pochhammer(), [10](#)

rmggd, [2](#), [5](#), [7](#), [13](#)

title, [3](#)