

Package ‘NetLogoR’

January 8, 2024

Title Build and Run Spatially Explicit Agent-Based Models

Description Build and run spatially explicit agent-based models using only the R platform. 'NetLogoR' follows the same framework as the 'NetLogo' software (Wilensky (1999) <<http://ccl.northwestern.edu/netlogo/>>) and is a translation in R of the structure and functions of 'NetLogo'. 'NetLogoR' provides new R classes to define model agents and functions to implement spatially explicit agent-based models in the R environment. This package allows benefiting of the fast and easy coding phase from the highly developed 'NetLogo' framework, coupled with the versatility, power and massive resources of the R software. Examples of two models from the NetLogo software repository (Ants <<http://ccl.northwestern.edu/netlogo/models/Ants>>) and Wolf-Sheep-Predation (<<http://ccl.northwestern.edu/netlogo/models/WolfSheepPredation>>), and a third, Butterfly, from Railsback and Grimm (2012) <<https://www.railsback-grimm-abm-book.com/>>, all written using 'NetLogoR' are available. The 'NetLogo' code of the original version of these models is provided alongside. A programming guide inspired from the 'NetLogo' Programming Guide (<<https://ccl.northwestern.edu/netlogo/docs/programming.html>>) and a dictionary of 'NetLogo' primitives (<<https://ccl.northwestern.edu/netlogo/docs/dictionary.html>>) equivalences are also available. NOTE: To increment 'time', these functions can use a for loop or can be integrated with a discrete event simulator, such as 'SpaDES' (<<https://cran.r-project.org/package=SpaDES>>). The suggested package 'fastshp' can be installed with `install.packages("fastshp", repos = ("<https://rforge.net>"), type = "source")`.

URL <https://netlogor.predictiveecology.org>,
<https://github.com/PredictiveEcology/NetLogoR/>,
<https://groups.google.com/g/netlogor>

Version 1.0.5

Date 2023-12-21

Depends R (>= 4.1)

Imports data.table, grDevices, methods, quickPlot (>= 1.0.2), stats, terra, utils

Suggests CircStats, covr, fastshp, knitr, microbenchmark, raster, rmarkdown, sf, sp, SpaDES.core (>= 2.0.3), SpaDES.tools (>= 2.0.5), testthat, withr

Additional_repositories <https://predictiveecology.r-universe.dev/>

BugReports <https://github.com/PredictiveEcology/NetLogoR/issues>

ByteCompile yes

Encoding UTF-8

Language en-CA

License GPL-3

RoxygenNote 7.2.3

VignetteBuilder knitr, rmarkdown

Collate 'Agent-classes.R' 'NetLogoR-package.R'
'worldNLR-classes-methods.R' 'helpers.R'
'agentMatrix-Class-methods.R' 'agentset-functions.R'
'function-arguments.R' 'patch-functions.R' 'plot.R'
'quickPlot.R' 'spades-functions.R' 'turtle-functions.R'
'world-functions.R'

NeedsCompilation no

Author Sarah Bauduin [aut] (<<https://orcid.org/0000-0002-3252-5894>>),
Eliot J B McIntire [aut, cre] (<<https://orcid.org/0000-0002-6914-8316>>),
Alex M Chubaty [aut] (<<https://orcid.org/0000-0001-7146-8135>>),
His Majesty the King in Right of Canada, as represented by the Minister
of Natural Resources Canada [cph]

Maintainer Eliot J B McIntire <eliot.mcintire@canada.ca>

Repository CRAN

Date/Publication 2024-01-08 10:30:12 UTC

R topics documented:

NetLogoR-package	5
.bboxCoords	6
==,agentMatrix,character-method	6
agentMatrix	7
agentMatrix-class	8
bbox	9
bk	10
canMove	12
cbind	13

cellFromPxcorPycor	13
clearPatches	14
coordinates,agentMatrix-method	15
createOTurtles	16
createTurtles	17
createWorld	18
die	20
diffuse	21
downhill	22
dx	24
dy	25
extent,worldNLR-method	26
face	27
fd	28
hatch	30
home	31
inCone	32
initialize,agentMatrix-method	34
inRadius	35
inspect	36
isNLclass	37
layoutCircle	39
left	40
maxNof	41
maxOneOf	43
maxPxcor	45
maxPycor	46
minNof	47
minOneOf	48
minPxcor	50
minPycor	51
moveTo	52
neighbors	53
NLall	55
NLany	56
NLcount	57
NLdist	58
NLset	60
NLwith	62
NLworldIndex	63
nOf	64
noPatches	66
noTurtles	67
numLayers.worldArray	67
of	68
oneOf	70
other	71
patch	73

patchAhead	74
patchAt	76
patchDistDir	77
patches	78
patchHere	79
patchLeft	80
patchRight	82
patchSet	83
pExist	84
plot.agentMatrix	85
PxcorPycorFromCell	86
randomPxcor	87
randomPycor	88
randomXcor	89
randomXYcor	90
randomYcor	91
raster2world	92
right	93
setXY	94
sf2turtles	95
show.agentMatrix-method	96
show.worldArray-method	97
sortOn	97
spatRast2world	99
spdf2turtles	100
sprout	101
stackWorlds	103
subHeadings	104
tExist	105
towards	106
turtle	108
turtles2sf	109
turtles2spdf	110
turtlesAt	111
turtleSet	112
turtlesOn	113
turtlesOwn	115
updateList	116
uphill	117
withMax	119
withMin	120
world2raster	122
world2spatRast	123
worldArray-class	124
worldHeight	124
worldMatrix-class	125
worldNLR-class	126
worldWidth	126

wrap	127
[.	128
[[,worldArray,ANY,missing-method	131

Index	132
--------------	------------

NetLogoR-package	<i>The NetLogoR package</i>
------------------	-----------------------------

Description

The suggested package **fastshp** can be installed with `install.packages("fastshp", repos = "https://rforge.net", type = "source")`. The examples included with the package, are located in the R package "examples" folder, which can be found at `system.file(package = "NetLogoR", "examples")`.

Details

The 3 specific R examples can be opened here, but it's recommended to make copies of these for editing:

```
exPath <- file.path(system.file(package = "NetLogoR", "examples"))
file.edit(exPath, "Ants", "Ants.R")
file.edit(exPath, "Butterfly", "Butterfly-1.R")
file.edit(exPath, "Wolf-Sheep-Predation", "Wolf-Sheep-Predation.R")
```

Author(s)

Maintainer: Eliot J B McIntire <eliot.mcintire@canada.ca> ([ORCID](#))

Authors:

- Sarah Bauduin <sarahbauduin@hotmail.fr> ([ORCID](#))
- Alex M Chubaty <achubaty@for-cast.ca> ([ORCID](#))

Other contributors:

- His Majesty the King in Right of Canada, as represented by the Minister of Natural Resources Canada [copyright holder]

See Also

Useful links:

- <https://netlogor.predictiveecology.org>
- <https://github.com/PredictiveEcology/NetLogoR/>
- <https://groups.google.com/g/netlogor>
- Report bugs at <https://github.com/PredictiveEcology/NetLogoR/issues>

`.bboxCoords` `.bboxCoords` is a drop in replacement for `raster::bboxCoords`.

Description

`.bboxCoords` is a drop in replacement for `raster::bboxCoords`.

Usage

```
.bboxCoords(coords)
```

Arguments

`coords` xy coordinates for all cells, e.g., produced by `raster::coordinates`.

==,agentMatrix,character-method
Relational Operators

Description

Binary operators which allow the comparison of values in an `agentMatrix`.

Usage

```
## S4 method for signature 'agentMatrix,character'
e1 == e2

## S4 method for signature 'agentMatrix,numeric'
e1 == e2
```

Arguments

`e1` An `agentMatrix` object.
`e2` atomic vector, symbol, call, or other object for which methods have been written.

Value

A logical vector indicating the result of the element by element comparison.

`agentMatrix`*Create a new agentMatrix object*

Description

This is a fast alternative to the `SpatialPointsDataFrame`. It is meant to replace that functionality, though there are not as many methods (yet). The object is primarily a numeric matrix. Any character column passed to `...` will be converted to a numeric, using `as.factor` internally, and stored as a numeric. Methods using this class will automatically convert character queries to the correct numeric alternative.

Usage

```
agentMatrix(..., coords)

## S4 method for signature 'matrix'
agentMatrix(..., coords)

## S4 method for signature 'missing'
agentMatrix(..., coords)
```

Arguments

<code>...</code>	Vectors, a <code>data.frame</code> , or a matrix of extra columns to add to the coordinates, or a <code>SpatialPointsDataFrame</code> .
<code>coords</code>	A matrix with 2 columns representing x and y coordinates

Value

An `agentMatrix` object

Author(s)

Eliot McIntire

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#clear-turtles>

Examples

```
newAgent <- agentMatrix(
  coords = cbind(pxcor = c(1, 2, 5), pycor = c(3, 4, 6)),
  char = letters[c(1, 2, 6)],
  nums2 = c(4.5, 2.6, 2343),
  char2 = LETTERS[c(4, 24, 3)],
  nums = 5:7
)
```

```
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = runif(25)
)
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
```

agentMatrix-class *The agentMatrix class*

Description

The agentMatrix class

Author(s)

Eliot McIntire

Examples

```
newAgent <- new("agentMatrix",
  coords = cbind(pxcor = c(1, 2, 5), pycor = c(3, 4, 6)),
  char = letters[c(1, 2, 6)],
  nums2 = c(4.5, 2.6, 2343),
  char2 = LETTERS[c(4, 24, 3)],
  nums = 5:7
)

# compare speeds -- about 5x faster
if (requireNamespace("microbenchmark", quietly = TRUE) &&
  requireNamespace("sp", quietly = TRUE)) {
  microbenchmark::microbenchmark(
    times = 499,
    spdf = {
      sp::SpatialPointsDataFrame(
        coords = cbind(pxcor = c(1, 2, 5), pycor = c(3, 4, 6)),
        data = data.frame(
          char = letters[c(1, 2, 6)],
          nums2 = c(4.5, 2.6, 2343),
          char2 = LETTERS[c(4, 24, 3)],
          nums = 5:7
        )
      )
    }
  ),
  agentMat = {
    agentMatrix(
      coords = cbind(
        pxcor = c(1, 2, 5),
        pycor = c(3, 4, 6)
      )
    )
  }
}
```



```

    ),
    char = letters[c(1, 2, 6)],
    nums2 = c(4.5, 2.6, 2343),
    char2 = LETTERS[c(4, 24, 3)],
    nums = 5:7
  )
},
agentMatDirect = {
  new("agentMatrix",
    coords = cbind(
      pxcor = c(1, 2, 5),
      pycor = c(3, 4, 6)
    ),
    char = letters[c(1, 2, 6)],
    nums2 = c(4.5, 2.6, 2343),
    char2 = LETTERS[c(4, 24, 3)],
    nums = 5:7
  )
}
)
}
}

```

bbox
Extract or set bounding box

Description

These are methods for classes in NetLogoR, i.e., `agentMatrix`, `worldMatrix`, and `worldArray`. Replacement method sets the `bbox` attribute of an `agentMatrix`.

Usage

```
bbox(obj)
```

```
## S4 method for signature 'agentMatrix'
bbox(obj)
```

```
## S4 method for signature 'ANY'
bbox(obj)
```

```
bbox(obj) <- value
```

```
## S4 replacement method for signature 'agentMatrix,matrix'
bbox(obj) <- value
```

```
## S4 method for signature 'worldNLR'
bbox(obj)
```

```
## S4 method for signature 'SpatExtent'
bbox(obj)
```

Arguments

obj	object deriving from class "agentMatrix", or for bbox and extent, a "worldMatrix" or "worldArray"
value	2x2 matrix representing the bounding box. See sp::bbox.

Value

The replacement method returns the same object as supplied to obj, i.e., an agentMatrix, with the bbox attribute set to value.

See Also

[extent\(\)](#), [coordinates\(\)](#), [sp::bbox](#)

Examples

```
newAgent <- agentMatrix(
  coords = cbind(pxcor = c(1, 2, 5), pycor = c(3, 4, 6)),
  char = letters[c(1, 2, 6)],
  nums2 = c(4.5, 2.6, 2343),
  char2 = LETTERS[c(4, 24, 3)],
  nums = 5:7
)
bbox(newAgent)
extent(newAgent)
coordinates(newAgent)
```

bk *Move backward*

Description

Move the turtles backward of their headings' directions.

Usage

```
bk(turtles, dist, world, torus = FALSE, out = TRUE)
```

```
## S4 method for signature 'agentMatrix,numeric'
bk(turtles, dist, world, torus = FALSE, out = TRUE)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
dist	Numeric. Vector of distances to move. Must be of length 1 or of length turtles.
world	WorldMatrix or worldArray object.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.
out	Logical. Determine if a turtle should move when torus = FALSE and its ending position will be outside of the world's extent. Default is out = TRUE.

Details

If `torus = FALSE` and `out = TRUE`, world does not need to be provided.

If a distance to move leads a ``turtle`` outside of the ``world``'s extent and ``torus = TRUE``, the ``turtle`` is relocated on the other side of the ``world``, inside its extent; if ``torus = FALSE`` and ``out = TRUE``, the ``turtle`` moves past the ``world``'s extent; if ``torus = FALSE`` and ``out = FALSE``, the ``turtle`` does not move at all. In the event that a ``turtle`` does not move, its previous coordinates are still updated with its position before running ``bk()`` (i.e., its current position).

If a given ``dist`` value is negative, then the ``turtle`` moves forward.

The ``turtles``' headings are not affected by the function (i.e., the ``turtles`` do not face backward).

Value

AgentMatrix representing the turtles with updated coordinates and updated data for their previous coordinates `prevX` and `prevY`.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#back>

<<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#jump>>

Examples

```
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = runif(25)
)
t1 <- createOTurtles(n = 10, world = w1)
plot(w1)
points(t1, col = of(agents = t1, var = "color"), pch = 16)

t1 <- fd(turtles = t1, dist = 2)
points(t1, col = of(agents = t1, var = "color"), pch = 16)
```

```
t1 <- bk(turtles = t1, dist = 1)
points(t1, col = of(agents = t1, var = "color"), pch = 16)
t1 <- fd(turtles = t1, dist = 0.5)
points(t1, col = of(agents = t1, var = "color"), pch = 16)
```

canMove

Can the turtles move?

Description

Report TRUE if a turtle can move the given distance without leaving the world's extent, report FALSE otherwise.

Usage

```
canMove(world, turtles, dist)
```

```
## S4 method for signature 'worldNLR,agentMatrix,numeric'
canMove(world, turtles, dist)
```

Arguments

world	WorldMatrix or worldArray object.
turtles	AgentMatrix object representing the moving agents.
dist	Numeric. Vector of distances to move. Must be of length 1 or of length turtles.

Value

Logical. Vector of length turtles.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#can-move>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
t1 <- createTurtles(n = 10, world = w1)
canMove(world = w1, turtles = t1, dist = 1:10)
```

cbind	<i>Combine R Objects by Rows or Columns</i>
-------	---

Description

Take a sequence of `agentMatrix` arguments and combine by columns or rows, respectively. This will take the coordinates of the first argument and remove the coordinates of the second object.

Usage

```
## S3 method for class 'agentMatrix'
cbind(..., deparse.level)
```

```
## S3 method for class 'agentMatrix'
rbind(..., deparse.level = 1)
```

Arguments

... Two `agentMatrix` objects.
 deparse.level See `base::cbind()`.

Value

An `agentMatrix` object.

cellFromPxcorPycor	<i>Cells numbers from patches coordinates</i>
--------------------	---

Description

Report the cells numbers as defined for a `Raster*` object given the patches coordinates `pxcor` and `pycor`.

Usage

```
cellFromPxcorPycor(world, pxcor, pycor)
```

```
## S4 method for signature 'worldNLR,numeric,numeric'
cellFromPxcorPycor(world, pxcor, pycor)
```

Arguments

world WorldMatrix or worldArray object.
 pxcor Integer. Vector of patches `pxcor` coordinates. Must be of length 1 or of the same length as `pycor`.
 pycor Integer. Vector of patches `pycor` coordinates. Must be of length 1 or of the same length as `pxcor`.

Value

Numeric. Vector of cells number.

Author(s)

Sarah Bauduin

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
cellFromPxcorPycor(world = w1, pxcor = 0, pycor = 9)
cellFromPxcorPycor(world = w1, pxcor = c(0, 1, 2), pycor = 0)
```

clearPatches

Clear world's patches

Description

Reset all patches values to NA.

Usage

```
clearPatches(world)
```

```
## S4 method for signature 'worldMatrix'
clearPatches(world)
```

```
## S4 method for signature 'worldArray'
clearPatches(world)
```

Arguments

world WorldMatrix or worldArray object.

Value

WorldMatrix object with NA values for all patches.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#clear-patches>

Examples

```
w1 <- createWorld()
w1 <- NLset(world = w1, agents = patches(w1), val = runif(NLcount(patches(w1))))
w1Val <- of(world = w1, agents = patches(w1))
summary(w1Val)

w1 <- clearPatches(w1)
w1Val <- of(world = w1, agents = patches(w1))
summary(w1Val)
```

coordinates,agentMatrix-method

Spatial accessors and setters for NetLogoR classes

Description

Spatial accessors and setters for NetLogoR classes

Usage

```
## S4 method for signature 'agentMatrix'
coordinates(obj, ...)
```

Arguments

obj	object deriving from class "agentMatrix"
...	additional arguments that may be used by particular methods

Value

coordinates returns a matrix of coordinates of the obj.

See Also

[bbox\(\)](#), [extent\(\)](#)

createOTurtles	<i>Create ordered turtles</i>
----------------	-------------------------------

Description

Create n turtles at the center of the world with their headings evenly distributed.

Usage

```
createOTurtles(n, world, breed, color)
```

```
## S4 method for signature 'numeric'
createOTurtles(n, world, breed, color)
```

Arguments

<code>n</code>	Integer.
<code>world</code>	WorldMatrix or worldArray object.
<code>breed</code>	Character. Vector of breed names. Must be of length 1 or of length n . If missing, <code>breed = "turtle"</code> for all turtles.
<code>color</code>	Character. Vector of color names. Must be of length n . If missing, colors are assigned using the function <code>rainbow(n)</code> .

Details

The identity of the turtles is defined by their who number. This numbering starts at 0 and increments by 1.

The coordinates from the previous time step are stored in ``prevX`` and ``prevY``. The initial values are ``NA``.

Value

AgentMatrix object of length n with data for the turtles being: `xcor`, `ycor`, `who`, `heading`, `prevX`, `prevY`, `breed`, and `color`.

Author(s)

Sarah Bauduin and Eliot McIntire

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#create-ordered-turtles>

Examples

```

w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = runif(25)
)
t1 <- createOTurtles(n = 10, world = w1)
plot(w1)
points(t1, col = of(agents = t1, var = "color"), pch = 16)

t1 <- fd(turtles = t1, dist = 1)
points(t1, col = of(agents = t1, var = "color"), pch = 16)

```

createTurtles	<i>Create turtles</i>
---------------	-----------------------

Description

Create n moving agents with a set of defined variables.

Usage

```

createTurtles(n, coords, world, heading, breed, color)

## S4 method for signature 'numeric,matrix,missing'
createTurtles(n, coords, world, heading, breed, color)

## S4 method for signature 'numeric,missing,ANY'
createTurtles(n, coords, world, heading, breed, color)

```

Arguments

n	Integer.
coords	Matrix ($n_{col} = 2$) with the first column x_{cor} and the second column y_{cor} representing the turtles initial locations. $n_{row}(coords)$ must be equal to 1 or to n . Given coordinates must be inside the world's extent. If missing, turtles are put in the center of the world.
world	WorldMatrix or worldArray object.
heading	Numeric. Vector of values between 0 and 360. Must be of length 1 or of length n . If missing, a random heading is assigned to each turtle.
breed	Character. Vector of breed names. Must be of length 1 or of length n . If missing, $breed = "turtle"$ for all turtles.
color	Character. Vector of color names. Must be of length n . If missing, colors are assigned using the function <code>rainbow(n)</code> .

Details

If coords is provided, world must not be provided.

The identity of the `turtles` is defined by their `who` number. This numbering starts at 0 and increments by 1.

The coordinates from the previous time step are stored in `prevX` and `prevY`. The initial values are `NA`.

Value

AgentMatrix object of length n with data for the turtles being: xcor, ycor, who, heading, prevX, prevY, breed, and color.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#create-turtles>

Examples

```
w1 <- createWorld(  
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,  
  data = runif(25)  
)  
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))  
plot(w1)  
points(t1, col = of(agents = t1, var = "color"), pch = 16)
```

createWorld

Create a world

Description

Create a world of patches of class worldMatrix.

Usage

```
createWorld(minPxcor, maxPxcor, minPycor, maxPycor, data = NA)

## S4 method for signature 'numeric,numeric,numeric,numeric,ANY'
createWorld(minPxcor, maxPxcor, minPycor, maxPycor, data = NA)

## S4 method for signature 'missing,missing,missing,missing,missing'
createWorld()
```

Arguments

minPxcor	Integer. Minimum pxcor for the patches (world's left border).
maxPxcor	Integer. Maximum pxcor for the patches (world's right border).
minPycor	Integer. Minimum pycor for the patches (world's bottom border).
maxPycor	Integer. Maximum pycor for the patches (world's top border).
data	Vector of length 1 or length $(\text{maxPxcor} - \text{minPxcor} + 1) * (\text{maxPycor} - \text{minPycor} + 1)$. Default is NA.

Details

If data is provided, values are assigned by rows.

If no parameters value are provided, default values are:
``minPxcor = -16``,
``maxPxcor = 16``, ``minPycor = -16``, and ``maxPycor = 16``.

See ``help("worldMatrix-class")`` for more details on the ``worldMatrix`` class.

Value

WorldMatrix object composed of $(\text{maxPxcor} - \text{minPxcor} + 1) * (\text{maxPycor} - \text{minPycor} + 1)$ patches (i.e., matrix cells).

Author(s)

Sarah Bauduin, Eliot McIntire, and Alex Chubaty

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4, data = 1:25)
plot(w1)
```

die	<i>Kill turtles</i>
-----	---------------------

Description

Kill selected turtles.

Usage

```
die(turtles, who)
```

```
## S4 method for signature 'agentMatrix,numeric'  
die(turtles, who)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
who	Integer. Vector of the who numbers for the selected turtles.

Details

The who numbers of the remaining turtles are unchanged.

Value

AgentMatrix representing the turtles with the selected ones removed.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#die>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)  
t1 <- createTurtles(n = 10, world = w1)  
NLcount(t1)  
t1 <- die(turtles = t1, who = c(2, 3, 4))  
NLcount(t1)
```

diffuse *Diffuse values in a world*

Description

Each patch gives an equal share of a portion of its value to its neighbor patches.

Usage

```
diffuse(world, pVar, share, nNeighbors, torus = FALSE)
```

```
## S4 method for signature 'worldMatrix,missing,numeric,numeric'
diffuse(world, share, nNeighbors, torus)
```

```
## S4 method for signature 'worldArray,character,numeric,numeric'
diffuse(world, pVar, share, nNeighbors, torus = FALSE)
```

Arguments

world	WorldMatrix or worldArray object.
pVar	Character. If the world is a worldArray object, pVar is the name of the layer to use to define the patches values. pVar must not be provided if the world is a worldMatrix object.
share	Numeric. Value between 0 and 1 representing the portion of the patches values to be diffused among the neighbors.
nNeighbors	Integer: 4 or 8. Represents the number of neighbor patches considered.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

What is given is lost for the patches.

If ``torus = TRUE``, all ``patches`` have ``nNeighbors`` ``patches`` around them, which some may be on the other sides of the ``world``. If ``torus = FALSE``, ``patches`` located on the edges of the ``world`` have less than ``nNeighbors`` ``patches`` around them.

However, each neighbor still gets 1/4 or 1/8 of the shared amount and the diffusing patch keeps the leftover.

Value

WorldMatrix or worldArray object with patches values updated.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#diffuse>

<<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#diffuse4>>

Examples

```
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = sample(1:3, size = 25, replace = TRUE)
)
plot(w1)
# Diffuse 50% of each patch value to its 8 neighbors
if (requireNamespace("SpaDES.tools", quietly = TRUE)) {
  w2 <- diffuse(world = w1, share = 0.5, nNeighbors = 8)
  plot(w2)
}
```

downhill

Move downhill

Description

Move the turtles to their neighboring patch with the lowest value.

Usage

```
downhill(world, pVar, turtles, nNeighbors, torus = FALSE)
```

```
## S4 method for signature 'worldMatrix,missing,agentMatrix,numeric'
downhill(world, turtles, nNeighbors, torus)
```

```
## S4 method for signature 'worldArray,character,agentMatrix,numeric'
downhill(world, pVar, turtles, nNeighbors, torus = FALSE)
```

Arguments

world	WorldMatrix or worldArray object.
pVar	Character. If the world is a worldArray object, pVar is the name of the layer to use to define the patches values. pVar must not be provided if the world is a worldMatrix object.
turtles	AgentMatrix object representing the moving agents.
nNeighbors	Integer: 4 or 8. Represents the number of neighbor patches considered.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

If no neighboring patch has a smaller value than the patch where the turtle is currently located on, the turtle stays on this patch. It still moves to the patch center if it was not already on it.

If there are multiple neighboring `patches` with the same lowest value, the `turtle` chooses one `patch` randomly.

If a `turtle` is located on a `patch` on the edge of the `world` and `torus = FALSE`, it has fewer neighboring `patches` as options to move than `nNeighbors`; if `torus = TRUE`, the `turtle` can move on the other side of the `world` to move downhill and its choice of neighboring `patches` is always equals to `nNeighbors`.

Value

AgentMatrix representing the turtles with updated coordinates and updated data for their heading values and previous coordinates prevX and prevY.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#downhill>

Examples

```
w1 <- createWorld(  
  minPxcor = 1, maxPxcor = 10, minPycor = 1, maxPycor = 10,  
  data = runif(100)  
)
```

```
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
plot(w1)
points(t1, col = of(agents = t1, var = "color"), pch = 16)

if (requireNamespace("SpaDES.tools", quietly = TRUE)) {
  t1 <- downhill(world = w1, turtles = t1, nNeighbors = 8)
  points(t1, col = of(agents = t1, var = "color"), pch = 16)
}
```

dx	<i>x-increment</i>
----	--------------------

Description

Report the amount by which the turtles' coordinates xcor would change if the turtles were to move forward the given distances with their current headings.

Usage

```
dx(turtles, dist = 1)

## S4 method for signature 'agentMatrix,numeric'
dx(turtles, dist = 1)

## S4 method for signature 'agentMatrix,missing'
dx(turtles)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
dist	Numeric. Vector of distances the turtles would have to move forward to compute the increment values. Must be of length 1 or of length turtles. The default value is dist = 1.

Details

Report the sine of the turtles' heading multiplied by the dist values. Heading 0 is north and angles are calculated in degrees in a clockwise manner.

Value

Numeric. Vector of length turtles.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#dxy>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
t1 <- createOTurtles(world = w1, n = 10)
dx(turtles = t1)
```

dy

y-increment

Description

Report the amount by which the turtles' coordinates ycor would change if the turtles were to move forward the given distances with their current headings.

Usage

```
dy(turtles, dist = 1)

## S4 method for signature 'agentMatrix,numeric'
dy(turtles, dist = 1)

## S4 method for signature 'agentMatrix,missing'
dy(turtles)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
dist	Numeric. Vector of distances the turtles would have to move forward to compute the increment values. Must be of length 1 or of length turtles. The default value is dist = 1.

Details

Report the cosine of the turtles' heading multiplied by the dist values. Heading 0 is north and angles are calculated in degrees in a clockwise manner.

Value

Numeric. Vector of length turtles.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#dxy>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
t1 <- createOTurtles(world = w1, n = 10)
dy(turtles = t1)
```

extent, worldNLR-method

Bounding box and extent methods for NetLogoR classes

Description

Same as `sp::bbox` and `raster::extent`.

Usage

```
## S4 method for signature 'worldNLR'
extent(x, ...)

## S4 method for signature 'agentMatrix'
extent(x, ...)
```

Arguments

x	object deriving from class "agentMatrix", or a "worldMatrix" or "worldArray"
...	Ignored.

Value

`bbox` returns a two-column matrix; the first column has the minimum, the second the maximum values; rows represent the spatial dimensions. `extent` returns an `SpatExtent` object from the package `terra`.

See Also

[bbox\(\)](#), [coordinates\(\)](#)

face	<i>Face something</i>
------	-----------------------

Description

Set the turtles' heading towards agents2.

Usage

```
face(turtles, agents2, world, torus = FALSE)

## S4 method for signature 'agentMatrix,matrix'
face(turtles, agents2, world, torus = FALSE)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
agents2	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`, or Matrix (`ncol` = 2) with the first column `x` and the second column `y` representing locations coordinates.
world	WorldMatrix or worldArray object.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

The number of agents/locations in agents2 must be equal to 1 or to the length of turtles.

If `torus = FALSE`, `world` does not need to be provided.

If `torus = TRUE` and the distance from one `turtles` to its corresponding agent/location `agents2` is smaller around the sides of the `world` than across it, then the direction to the agent/location `agents2` going around the sides of the `world` is given to the `turtle`.

If a turtle is facing its own location, its heading does not change.

Value

AgentMatrix representing the turtles with updated headings.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#face>

<<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#facexy>>

Examples

```
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = runif(25)
)
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
plot(w1)
points(t1, col = of(agents = t1, var = "color"), pch = 16)

t1 <- face(turtles = t1, agents2 = cbind(x = 0, y = 0))
t1 <- fd(turtles = t1, dist = 0.5)
points(t1, col = of(agents = t1, var = "color"), pch = 16)
```

fd

Move forward

Description

Move the turtles forward with their headings as directions.

Usage

```
fd(turtles, dist, world, torus = FALSE, out = TRUE)
```

```
## S4 method for signature 'agentMatrix,numeric'
fd(turtles, dist, world, torus = FALSE, out = TRUE)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
dist	Numeric. Vector of distances to move. Must be of length 1 or of length turtles.
world	WorldMatrix or worldArray object.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.
out	Logical. Determine if a turtle should move when torus = FALSE and its ending position will be outside of the world's extent. Default is out = TRUE.

Details

If `torus = FALSE` and `out = TRUE`, world does not need to be provided.

If a distance to move leads a `'turtle'` outside of the `'world'`'s extent and `'torus = TRUE'`, the `'turtle'` is relocated on the other side of the `'world'`, inside its extent; if `'torus = FALSE'` and `'out = TRUE'`, the `'turtle'` moves past the `'world'`'s extent; if `'torus = FALSE'` and `'out = FALSE'`, the `'turtle'` does not move at all. In the event that a `'turtle'` does not move, its previous coordinates are still updated with its position before running `'fd()'` (i.e., its current position).

If a given `'dist'` value is negative, then the `'turtle'` moves backward.

Value

AgentMatrix representing the turtles with updated coordinates and updated data for their previous coordinates `prevX` and `prevY`.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#forward>

<<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#jump>>

Examples

```
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = runif(25)
)
t1 <- create0Turtles(n = 10, world = w1)
plot(w1)
points(t1, col = of(agents = t1, var = "color"), pch = 16)

t1 <- fd(turtles = t1, dist = 1)
points(t1, col = of(agents = t1, var = "color"), pch = 16)
```

hatch	<i>Hatch new turtles</i>
-------	--------------------------

Description

Create new turtles from parent turtles.

Usage

```
hatch(turtles, who, n, breed)
```

```
## S4 method for signature 'agentMatrix,numeric,numeric'
hatch(turtles, who, n, breed)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
who	Integer. Vector of the who numbers for the selected turtles.
n	Integer. Vector of length 1 or of length who. Number of new turtles to create for each parent.
breed	Character. One breed name. If missing, the created turtles are of the same breed as their parent turtle.

Details

The parent turtle must be contained in the turtles.

The created ``turtles`` inherit of all the data from the parent ``turtle``, except for the ``breed`` if specified otherwise, and for the ``who`` numbers. The ``who`` numbers of the ``turtles`` created take on following the highest ``who`` number among the ``turtles``.

All new hatched ``turtles`` are placed at the end of the ``agentMatrix`` object.

Value

AgentMatrix representing the turtles with the new hatched ones.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#hatch>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
t1 <- createTurtles(n = 10, world = w1)
NLcount(t1)
t1 <- hatch(turtles = t1, who = 0, n = 2)
NLcount(t1)
```

home

Return home

Description

Move the turtles back home.

Usage

```
home(world, turtles, home)
```

```
## S4 method for signature 'worldNLR,agentMatrix,character'
home(world, turtles, home)
```

Arguments

world	WorldMatrix or worldArray object.
turtles	AgentMatrix object representing the moving agents.
home	Character. Can take one of the following options to define where to relocate the turtles:

```
`home = "home0"` will place the `turtles` at the location
`x = 0, y = 0`.
```

```
`home = "center"` will place the `turtles` at the center of
the `world`.
```

```
`home = "pCorner"` will place the `turtles` at the center of
the `patch` located in the left bottom corner of the `world`.
```

```
`home = "corner"` will place the `turtles` at the left bottom
corner of the `world`.
```

Value

AgentMatrix representing the turtles with updated coordinates and updated data for their previous coordinates prevX and prevY.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#home>

Examples

```
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = runif(25)
)
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
plot(w1)
points(t1, col = "black", pch = 16)

t1 <- home(world = w1, turtles = t1, home = "pCorner")
points(t1, col = "red", pch = 16)
```

inCone

Agents *in cone*

Description

Report the agents within the "cone of vision" in front of each one of the turtles.

Usage

```
inCone(turtles, radius, angle, agents, world, torus = FALSE)

## S4 method for signature 'agentMatrix,numeric,numeric,matrix'
inCone(turtles, radius, angle, agents, world, torus = FALSE)
```

Arguments

turtles AgentMatrix object representing the moving agents.

radius Numeric. Vector of distances from turtles to locate agents. Must be of length 1 or of length turtles.

angle	Numeric. Vector of angles to define the size of the cone of vision for the turtles. The cone of vision is defined between the direction of their headings minus angle / 2 to the direction of their headings plus angle / 2. Must be of length 1 or of length turtles.
agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
world	WorldMatrix or worldArray object.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

agents are reported if there are within radius distance of the turtle and their direction from the turtle is within $[-\text{angle}, + \text{angle}]$ of the turtle's heading.

Distances to `patches` are calculated to their center.

If `torus = FALSE`, `world` does not need to be provided.

If `torus = TRUE`, the `radius` distances are calculated around the sides of the `world` to select `agents`.

Value

Matrix (ncol = 3) with the first column pxcor and the second column pycor representing the coordinates of the patches among agents2 within the cone of vision of each of the turtles which are represented by the id column, if agents are patches, or

Matrix (`ncol` = 2) with the first column `who` representing the `who` numbers of the `turtles` among `agents2` within the cone of vision of each of the `turtles` which are represented by the `id` column, if `agents` are `turtles`.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#in-cone>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))

if (requireNamespace("sf", quietly = TRUE)) {
  p1 <- inCone(turtles = t1, radius = 2, agents = patches(w1), angle = 90)
  t2 <- inCone(turtles = turtle(t1, who = 0), radius = 2, angle = 90, agents = t1)
}
```

initialize,agentMatrix-method
Initialize for agentMatrix Class

Description

To create a new agentMatrix object.

Usage

```
## S4 method for signature 'agentMatrix'
initialize(.Object = "agentMatrix", coords, ..., levelsAM)
```

Arguments

.Object	An object: see the “Initialize Methods” section.
coords	2 column matrix of coordinates
...	arguments to specify properties of the new object, to be passed to initialize().
levelsAM	A list with named character vectors. Each name should match with elements in ..., and each character vector should be the length of unique elements in the ... element.

Value

An agentMatrix object.

inRadius	Agents <i>in radius</i>
----------	-------------------------

Description

Report the patches or turtles among agents2 within given distances of each of the agents. Currently, this function multiplies radius by 1.0000001 so that the response of inRadius is inclusive.

Usage

```
inRadius(agents, radius, agents2, world, torus = FALSE)
```

```
## S4 method for signature 'matrix,numeric,matrix'
inRadius(agents, radius, agents2, world, torus = FALSE)
```

Arguments

agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
radius	Numeric. Vector of distances from agents to locate agents2. Must be of length 1 or of length agents.
agents2	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
world	WorldMatrix or worldArray object.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

Distances from/to patches are calculated from/to their center.

If `torus = FALSE`, `world` does not need to be provided.

If `torus = TRUE`, the `radius` distances are calculated around the sides of the `world` to select `agents2`.

Value

Matrix (ncol = 3) with the first column pxcor and the second column pycor representing the coordinates of the patches among agents2 within radius distances for each agents which are represented by the id column, if agents2 are patches, or

Matrix (``ncol` = 2`) with the first column ``who`` representing the ``who`` numbers of the ``turtles`` among ``agents2`` within ``radius`` distances for each ``agents`` which are represented by the ``id`` column, if ``agents2`` are ``turtles``.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#in-radius>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))

if (requireNamespace("sf", quietly = TRUE)) {
  p1 <- inRadius(agents = patch(w1, 0, 0), radius = 2, agents2 = patches(w1))
  t2 <- inRadius(agents = patch(w1, 0, 0), radius = 2, agents2 = t1)
  p2 <- inRadius(agents = t1, radius = 2, agents2 = patches(w1))
  t3 <- inRadius(agents = turtle(t1, who = 0), radius = 2, agents2 = t1)
}
```

inspect

Inspect turtles

Description

Display all variables values for the selected individuals among the turtles.

Usage

```
inspect(turtles, who)
```

```
## S4 method for signature 'agentMatrix,numeric'
inspect(turtles, who)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
who	Integer. Vector of the who numbers for the selected turtles.

Value

Dataframe (nrow = length(who)) of the variables of the selected individuals among the turtles.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#inspect>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
t1 <- createOTurtles(world = w1, n = 10)
inspect(turtles = t1, who = c(2, 3))
```

isNLclass

Type of object

Description

Report TRUE if the agents is of the class tested, report FALSE otherwise.

Usage

```
isNLclass(agents, class)

## S4 method for signature 'matrix,character'
isNLclass(agents, class)
```

Arguments

agents Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or
`AgentMatrix` object representing the moving `agents`.

class Character. Can take one of the following options to define the class: "agent", "agentset", "patch", "patchset". "turtle" or "turtleset".

Details

Careful! The class tested does not correspond to actual R classes.

``agents`` is ``"patch"`` if it is a matrix (``ncol`` = 2) with the first column ``pxcor`` and the second column ``pycor`` with only one row. ``agents`` is ``"patcheset"`` if the matrix has more than one row.

``agents`` is ``"turtle"`` if it is an ``agentMatrix`` containing only one ``turtle``.
``agents`` is ``"turtleset"`` if the ``agentMatrix`` contains more than one ``turtle``.

``agents`` is ``"agent"`` if it is either ``"patch"`` or ``"turtle"``. ``agents`` is ``"agentset"`` if it is either ``"patcheset"`` or ``"turtleset"``.

Value

Logical. TRUE if agents is of the class tested.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#is-of-type>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
t1 <- createTurtles(
  n = 10, coords = randomXYcor(w1, n = 10),
  heading = sample(1:3, size = 10, replace = TRUE)
)
isNLclass(agents = patches(w1), class = "patch")
isNLclass(agents = patches(w1), class = "patcheset")
isNLclass(agents = t1, class = "agentset")
isNLclass(agents = t1, class = "turtleset")
```

layoutCircle	<i>Layout turtles on a circle</i>
--------------	-----------------------------------

Description

Relocate the turtles on a circle centered on the world.

Usage

```
layoutCircle(world, turtles, radius, torus = FALSE)
```

```
## S4 method for signature 'worldNLR,agentMatrix,numeric'  
layoutCircle(world, turtles, radius, torus = FALSE)
```

Arguments

world	WorldMatrix or worldArray object.
turtles	AgentMatrix object representing the moving agents.
radius	Numeric. Radius of the circle.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

The turtles point outwards.

If the
`radius` value leads `turtles` outside of the `world`'s extent
and `torus = TRUE`, they are
relocated on the other sides of the `world`, inside its extent; if
`torus = FALSE`, the `turtles` are located past
the `world`'s extent.

Value

AgentMatrix representing the turtles with updated coordinates and updated data for their heading values and previous coordinates prevX and prevY.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#layout-circle>

Examples

```
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9,
  data = runif(100)
)
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
plot(w1)
points(t1, col = "black", pch = 16)

t1 <- layoutCircle(world = w1, turtles = t1, radius = 3)
points(t1, col = "red", pch = 16)
```

left

Rotate to the left

Description

Rotate the turtles's headings to the left of angle degrees.

Usage

```
left(turtles, angle)

## S4 method for signature 'agentMatrix,numeric'
left(turtles, angle)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
angle	Numeric. Vector of angles in degrees by which to rotate the turtles' headings. Must be of length 1 or of length turtles.

Details

If a given angle value is negative, then the turtle rotates to the right.

Value

AgentMatrix representing the turtles with updated heading values.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#left>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
t1 <- createTurtles(n = 10, world = w1)
of(agents = t1, var = "heading")
t1 <- left(turtles = t1, angle = 180)
of(agents = t1, var = "heading")
```

maxNof	N agents <i>with maximum</i>
--------	------------------------------

Description

Report the n patches or turtles among agents which have their variable among the maximum values.

Usage

```
maxNof(agents, n, world, var)
```

```
## S4 method for signature 'matrix,numeric,worldMatrix,missing'
maxNof(agents, n, world)
```

```
## S4 method for signature 'matrix,numeric,worldArray,character'
maxNof(agents, n, world, var)
```

```
## S4 method for signature 'agentMatrix,numeric,missing,character'
maxNof(agents, n, var)
```

Arguments

agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
n	Integer.
world	WorldMatrix or worldArray object.

var Character. The name of the selected agents variable. If agents are patches and the world is a worldMatrix object, var must not be provided. If agents are patches and the world is a worldArray object, var is the name of the layer to use to define the patches values. If agents are turtles, var is one of the turtles' variable and can be equal to xcor, ycor, any of the variables created when turtles were created, as well as any variable created using turtlesOwn().

Details

world must not be provided if agents are turtles.

If there is a tie that would make the number of returned `patches` or `turtles` larger than `n`, it is broken randomly.

Value

Matrix (ncol = 2, nrow = n) with the first column pxcor and the second column pycor representing the coordinates of the n patches among the agents which have their variable values among the maximum values among the agents, or

`AgentMatrix` of length `n` representing the `turtles` among the `agents` which have their `var` values among the maximum values among the `agents`.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#max-n-of>

Examples

```
# Patches
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = sample(1:10, size = 25, replace = TRUE)
)
plot(w1)
p1 <- maxNof(agents = patches(w1), n = 6, world = w1)

# Turtles
t1 <- createTurtles(
```

```

n = 10, coords = randomXYcor(w1, n = 10),
heading = sample(1:5, size = 10, replace = TRUE)
)
t2 <- maxNof(agents = t1, n = 5, var = "heading")

```

maxOneOf

One agent with maximum

Description

Report one patch or one turtle among agents which has its variable equals to the maximum value.

Usage

```

maxOneOf(agents, world, var)

## S4 method for signature 'matrix,worldMatrix,missing'
maxOneOf(agents, world)

## S4 method for signature 'matrix,worldArray,character'
maxOneOf(agents, world, var)

## S4 method for signature 'agentMatrix,missing,character'
maxOneOf(agents, var)

```

Arguments

agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
world	WorldMatrix or worldArray object.
var	Character. The name of the selected agents variable. If agents are patches and the world is a worldMatrix object, var must not be provided. If agents are patches and the world is a worldArray object, var is the name of the layer to use to define the patches values. If agents are turtles, var is one of the turtles' variable and can be equal to xcor, ycor, any of the variables created when turtles were created, as well as any variable created using turtlesOwn().

Details

world must not be provided if agents are turtles.

If there are several `patches` or `turtles` among `agents` with their variable equal to the maximum value, one is chosen randomly. To access to all `patches` or `turtles` among `agents` which have their variable equal to the maximum value, use `withMax()`.

Value

Matrix (ncol = 2, nrow = 1) with the first column pxcor and the second column pycor representing the coordinates of the patch (or of one of the patches) among the agents which has its variable equals to the maximum value among the agents, or

`AgentMatrix` of length 1 representing the `turtle` (or one of the `turtles`) among the `agents` which has its variable `var` equals to the maximum value among the `agents`.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#max-one-of>

Examples

```
# Patches
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = sample(1:5, size = 25, replace = TRUE)
)
plot(w1)
p1 <- maxOneOf(agents = patches(w1), world = w1)

# Turtles
t1 <- createTurtles(
  n = 10, coords = randomXYcor(w1, n = 10),
  heading = sample(1:3, size = 10, replace = TRUE)
)
t2 <- maxOneOf(agents = t1, var = "heading")
```

maxPxcor	<i>Maximum pxcor</i>
----------	----------------------

Description

Report the patches maximum pxcor in the world.

Usage

```
maxPxcor(world)

## S4 method for signature 'worldNLR'
maxPxcor(world)
```

Arguments

world WorldMatrix or worldArray object.

Value

Integer.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#max-pxcor>

Examples

```
w1 <- createWorld()
maxPxcor(w1)
```

`maxPycor`*Maximum pycor*

Description

Report the patches maximum pycor in the world.

Usage

```
maxPycor(world)
```

```
## S4 method for signature 'worldNLR'  
maxPycor(world)
```

Arguments

`world` WorldMatrix or worldArray object.

Value

Integer.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#max-pcor>

Examples

```
w1 <- createWorld()  
maxPycor(w1)
```

minNof	N agents <i>with minimum</i>
--------	------------------------------

Description

Report the n patches or turtles among agents which have their variable among the minimum values.

Usage

```
minNof(agents, n, world, var)
```

```
## S4 method for signature 'matrix,numeric,worldMatrix,missing'
minNof(agents, n, world)
```

```
## S4 method for signature 'matrix,numeric,worldArray,character'
minNof(agents, n, world, var)
```

```
## S4 method for signature 'agentMatrix,numeric,missing,character'
minNof(agents, n, var)
```

Arguments

agents Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or

`AgentMatrix` object representing the moving `agents`.

n Integer.

world WorldMatrix or worldArray object.

var Character. The name of the selected agents variable. If agents are patches and the world is a worldMatrix object, var must not be provided. If agents are patches and the world is a worldArray object, var is the name of the layer to use to define the patches values. If agents are turtles, var is one of the turtles' variable and can be equal to xcor, ycor, any of the variables created when turtles were created, as well as any variable created using turtlesOwn().

Details

world must not be provided if agents are turtles.

If there is a tie that would make the number of returned `patches` or `turtles` larger than `n`, it is broken randomly.

Value

Matrix (ncol = 2, nrow = n) with the first column pxcor and the second column pycor representing the coordinates of the n patches among the agents which have their variable values among the minimum values among the agents, or

```
`AgentMatrix` of length `n` representing the `turtles` among the
`agents` which
have their `var` values among the minimum values among the `agents`.
```

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#min-n-of>

Examples

```
# Patches
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = sample(1:10, size = 25, replace = TRUE)
)
plot(w1)
p1 <- minNof(agents = patches(w1), n = 6, world = w1)

# Turtles
t1 <- createTurtles(
  n = 10, coords = randomXYcor(w1, n = 10),
  heading = sample(1:5, size = 10, replace = TRUE)
)
t2 <- minNof(agents = t1, n = 5, var = "heading")
```

minOneOf

One agent with minimum

Description

Report one patch or one turtle among agents which has its variable equals to the minimum value.

Usage

```
minOneOf(agents, world, var)

## S4 method for signature 'matrix,worldMatrix,missing'
minOneOf(agents, world)

## S4 method for signature 'matrix,worldArray,character'
minOneOf(agents, world, var)

## S4 method for signature 'agentMatrix,missing,character'
minOneOf(agents, var)
```

Arguments

agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
world	WorldMatrix or worldArray object.
var	Character. The name of the selected agents variable. If agents are patches and the world is a worldMatrix object, var must not be provided. If agents are patches and the world is a worldArray object, var is the name of the layer to use to define the patches values. If agents are turtles, var is one of the turtles' variable and can be equal to xcor, ycor, any of the variables created when turtles were created, as well as any variable created using turtlesOwn().

Details

world must not be provided if agents are turtles.

If there are several `patches` or `turtles` among `agents` with their variable equal to the minimum value, one is chosen randomly. To access to all `patches` or `turtles` among `agents` which have their variable equal to the minimum value, use `withMin()`.

Value

Matrix (ncol = 2, nrow = 1) with the first column pxcor and the second column pycor representing the coordinates of the patch (or of one of the patches) among the agents which has its variable equals to the minimum value among the agents, or

`AgentMatrix` of length 1 representing the `turtle` (or one of the `turtles`) among the `agents` which has its variable `var` equals to the minimum value among the `agents`.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#min-one-of>

Examples

```
# Patches
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = sample(1:5, size = 25, replace = TRUE)
)
plot(w1)
p1 <- minOneOf(agents = patches(w1), world = w1)

# Turtles
t1 <- createTurtles(
  n = 10, coords = randomXYcor(w1, n = 10),
  heading = sample(1:3, size = 10, replace = TRUE)
)
t2 <- minOneOf(agents = t1, var = "heading")
```

minPxcor

Minimum pxcor

Description

Report the patches minimum pxcor in the world.

Usage

```
minPxcor(world)

## S4 method for signature 'worldNLR'
minPxcor(world)
```

Arguments

world WorldMatrix or worldArray object.

Value

Integer.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#min-pcor>

Examples

```
w1 <- createWorld()  
minPycor(w1)
```

minPycor

Minimum pycor

Description

Report the patches minimum pycor in the world.

Usage

```
minPycor(world)  
  
## S4 method for signature 'worldNLR'  
minPycor(world)
```

Arguments

world WorldMatrix or worldArray object.

Value

Integer.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#min-pcor>

Examples

```
w1 <- createWorld()
minPycor(w1)
```

moveTo

Move to

Description

Move the turtles to the agents' locations.

Usage

```
moveTo(turtles, agents)

## S4 method for signature 'agentMatrix,matrix'
moveTo(turtles, agents)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.

Details

The number of agents must be equal to 1 or to length turtles.

The `turtle`'s `headings` are not affected with this function.

If a `turtle` is moving to a `patch` location, it will be located at the `patch` center.

Value

AgentMatrix representing the turtles with updated coordinates and updated data for their previous coordinates prevX and prevY.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#move-to>

Examples

```
w1 <- createWorld(  
  minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9,  
  data = runif(100)  
)  
t1 <- createTurtles(n = 5, coords = randomXYcor(w1, n = 5))  
plot(w1)  
points(t1, col = "black", pch = 16)  
  
t1 <- moveTo(turtles = t1, agents = turtle(t1, who = 0))  
points(t1, col = "red", pch = 16)  
  
t1 <- moveTo(turtles = t1, agents = patch(w1, 9, 9))  
points(t1, col = "blue", pch = 16)
```

neighbors

Neighbors patches

Description

Report the coordinates of the neighbors patches around the agents.

Usage

```
neighbors(world, agents, nNeighbors, torus = FALSE)  
  
## S4 method for signature 'worldNLR,matrix,numeric'  
neighbors(world, agents, nNeighbors, torus = FALSE)
```

Arguments

world	WorldMatrix or worldArray object.
agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
nNeighbors	Integer: 4 or 8. Represents the number of neighbor patches considered.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

The patch around which the neighbors are identified, or the patch where the turtle is located on around which the neighbors are identified, is not returned.

If `torus = FALSE`, `agents` located on the edges of the `world` have less than `nNeighbors` patches around them. If `torus = TRUE`, all `agents` located on the edges of the `world` have `nNeighbors` patches around them, which some may be on the other sides of the `world`.

Value

Matrix (ncol = 3) with the first column pxcor and the second column pycor representing the coordinates of the neighbors patches around the agents and the third column id representing the id of the agents in the order provided.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#neighbors>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
if (requireNamespace("SpaDES.tools", quietly = TRUE)) {
  neighbors(world = w1, agents = patch(w1, c(0, 9), c(0, 7)), nNeighbors = 8)
  t1 <- createTurtles(n = 3, coords = randomXYcor(w1, n = 3))
  neighbors(world = w1, agents = t1, nNeighbors = 4)
}
```

NLall *All agents?*

Description

Report TRUE if all agents have their variable equal to a given value, report FALSE otherwise.

Usage

```
NLall(agents, world, var, val)

## S4 method for signature 'matrix,worldMatrix,missing'
NLall(agents, world, val)

## S4 method for signature 'matrix,worldArray,character'
NLall(agents, world, var, val)

## S4 method for signature 'agentMatrix,missing,character'
NLall(agents, var, val)
```

Arguments

agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or <code>`AgentMatrix`</code> object representing the moving <code>`agents`</code> .
world	WorldMatrix or worldArray object.
var	Character. The name of the selected agents variable. If agents are patches and the world is a worldMatrix object, var must not be provided. If agents are patches and the world is a worldArray object, var is the name of the layer to use to define the patches values. If agents are turtles, var is one of the turtles' variable and can be equal to xcor, ycor, any of the variables created when turtles were created, as well as any variable created using turtlesOwn().
val	Numeric or character. Vector of any length.

Details

world must not be provided if agents are turtles.

Value

Logical. TRUE if all the agents have their variable equal to val, FALSE otherwise.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#all>

Examples

```
# Patches
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4, data = runif(25))
NLall(agents = patches(w1), world = w1, val = 5)
w2 <- w1
w2 <- NLset(world = w1, agents = patches(w1), val = 5)
NLall(agents = patches(w2), world = w2, val = 5)

# Turtles
t1 <- createTurtles(n = 5, coords = cbind(xcor = 1, ycor = 1), heading = c(1, 2, 2, 1, 2))
NLall(agents = t1, var = "xcor", val = 1)
NLall(agents = t1, var = "heading", val = 2)
```

NLany

Any agents?

Description

Report TRUE if agents is non empty, report FALSE otherwise.

Usage

```
NLany(agents)

## S4 method for signature 'matrix'
NLany(agents)
```

Arguments

agents Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or
 `AgentMatrix` object representing the moving `agents`.

Value

Logical. TRUE if there is at least one patch or one turtle in the agents, FALSE otherwise.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#any>

Examples

```
# Patches
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
p1 <- noPatches()
p2 <- patch(w1, 0, 0)
NLany(p1)
NLany(p2)

# Turtles
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
t2 <- noTurtles()
NLany(t1)
NLany(t2)
```

NLcount

Count agents

Description

Report the number of patches or turtles inside agents.

Usage

```
NLcount(agents)
```

```
## S4 method for signature 'matrix'
NLcount(agents)
```

Arguments

agents Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or

``AgentMatrix`` object representing the moving ``agents``.

Value

Integer.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#count>

Examples

```
# Patches
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
p1 <- patches(w1)
NLcount(p1) # 25 patches

# Turtles
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
NLcount(t1) # 10 turtles
```

NLdist

Distances between agents

Description

Report the distances between agents and agents2.

Usage

```
NLdist(agents, agents2, world, torus = FALSE, allPairs = FALSE)

## S4 method for signature 'matrix,matrix'
NLdist(agents, agents2, world, torus = FALSE, allPairs = FALSE)
```

Arguments

agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
agents2	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`, or Matrix (`ncol` = 2) with the first column `x` and the second column `y` representing locations coordinates.
world	WorldMatrix or worldArray object.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.
allPairs	Logical. Only relevant if the number of agents/locations in agents and in agents2 are the same. If allPairs = FALSE, the distance between each agents with the corresponding agents2 is returned. If allPairs = TRUE, a full distance matrix is returned. Default is allPairs = FALSE.

Details

Distances from/to a patch are measured from/to its center.

If `torus = FALSE`, `world` does not need to be provided.

If `torus = TRUE`, a distance around the sides of the `world` is reported only if smaller than the one across the `world`.

Value

Numeric. Vector of distances between agents and agents2 if agents and/or agents2 contained one agent/location, or if agents and agents2 contained the same number of agents/locations and allPairs = FALSE, or

Matrix of distances between `agents` (rows) and
`agents2` (columns)
if `agents` and `agents2` are of different lengths,
or of same length
and `allPairs = TRUE`.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#distance>

<<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#distancexy>>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
NLdist(agents = patch(w1, 0, 0), agents2 = patch(w1, c(1, 9), c(1, 9)))
NLdist(
  agents = patch(w1, 0, 0), agents2 = patch(w1, c(1, 9), c(1, 9)),
  world = w1, torus = TRUE
)
t1 <- createTurtles(n = 2, coords = randomXYcor(w1, n = 2))
NLdist(agents = t1, agents2 = patch(w1, c(1, 9), c(1, 9)), allPairs = TRUE)
```

NLset

Set an agents variable

Description

Assign values to the agents for the selected variables.

Usage

```
NLset(world, turtles, agents, var, val)
```

```
## S4 method for signature 'missing,agentMatrix,agentMatrix,character'
NLset(turtles, agents, var, val)
```

```
## S4 method for signature 'worldMatrix,missing,matrix,missing'
NLset(world, agents, val)
```

```
## S4 method for signature 'worldArray,missing,matrix,character'
NLset(world, agents, var, val)
```

Arguments

world	WorldMatrix or worldArray object.
turtles	AgentMatrix object representing the moving agents.
agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.

var Character. Vector of the names of the selected agents variables. If agents are patches and the world is a worldMatrix object, var must not be provided. If agents are patches and the world is a worldArray object, var is the name of the layers to use to define the patches values. If agents are turtles, var is some of the turtles' variable and can be any of the variables created when turtles were created, as well as any variable created with turtlesOwn().

val Numeric or character. Vector of length 1 or length NLcount(agents) if length(var) == 1, or

Matrix or `Dataframe` (`ncol` = `length(var)`, `nrow` = `NLcount(agents)`).
Columns must be in the same order as `var`.

Details

If agents are patches, world must be provided and turtles must not be provided. If agents are turtles, turtles must be provided and world must not be provided.

Value

WorldMatrix or worldArray object with the values val assigned to the patches variables var for the agents, or

`AgentMatrix` representing the `turtles` with
the values `val` assigned to the variables `var` for the `agents`.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#set>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
w1 <- NLset(world = w1, agents = patches(w1), val = 1)
# Set the patch[0,4] to 0
w1 <- NLset(world = w1, agents = patch(w1, 0, 4), val = 0)
of(world = w1, agents = patches(w1))

t1 <- createTurtles(n = 3, world = w1, heading = 0)
# Set the heading of turtle 0 to 180
t2 <- NLset(turtles = t1, agents = turtle(t1, who = 0), var = "heading", val = 180)
of(agents = t2, var = "heading") # c(180, 0, 0)
```

 NLwith

 Agents *with*

Description

Report the patches or the turtles among agents which have their variable equals to specific values.

Usage

```
NLwith(agents, world, var, val)

## S4 method for signature 'matrix,worldMatrix,missing'
NLwith(agents, world, val)

## S4 method for signature 'matrix,worldArray,character'
NLwith(agents, world, var, val)

## S4 method for signature 'agentMatrix,missing,character'
NLwith(agents, var, val)
```

Arguments

agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
world	WorldMatrix or worldArray object.
var	Character. The name of the selected agents variable. If agents are patches and the world is a worldMatrix object, var must not be provided. If agents are patches and the world is a worldArray object, var is the name of the layer to use to define the patches values. If agents are turtles, var is one of the turtles' variable and can be equal to xcor, ycor, any of the variables created when turtles were created, as well as any variable created using turtlesOwn().
val	Numeric or character. Vector of any length.

Details

world must not be provided if agents are turtles.

This is equivalent in R to subsetting.

`val` can include `NA`.

Value

Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the coordinates of the patches among the agents which have their variable equals to any val, or

```
`AgentMatrix` representing the `turtles` among the `agents`
which have their variable
`var` equals to any `val`.
```

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#with>

Examples

```
# Patches
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = sample(1:5, size = 25, replace = TRUE)
)
plot(w1)
p2 <- NLwith(agents = patches(w1), world = w1, val = 2)

# Turtles
t1 <- createTurtles(
  n = 5, coords = randomXYcor(w1, n = 5),
  breed = c("sheep", "sheep", "wolf", "sheep", "sheperd")
)
t2 <- NLwith(agents = t1, var = "breed", val = "sheep")
t3 <- NLwith(agents = t1, var = "breed", val = c("sheep", "wolf"))
```

NLworldIndex

WorldMatrix *indices from vector indices*

Description

Convert vector indices or Raster* cell numbers into worldMatrix indices.

Usage

```
NLworldIndex(world, cellNum)

## S4 method for signature 'worldMatrix,numeric'
NLworldIndex(world, cellNum)
```

Arguments

```
world          WorldMatrix or worldArray object.
cellNum        Integer. Vector of cells number.
```

Value

Numeric. Vector of worldMatrix indices.

Author(s)

Eliot McIntire

Examples

```
if (requireNamespace("raster", quietly = TRUE)) {
  w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9, data = 1:100)
  w1Ras <- world2raster(w1)
  index <- 24
  pxy <- PxcorPycorFromCell(world = w1, cellNum = index)

  rasValue <- as.integer(unname(w1Ras[index]))
  # Not correct index:
  identical(w1[index], rasValue)

  # Correct index
  identical(w1[NLworldIndex(w1, index)], rasValue)
}
```

nOf

N random agents

Description

Report n patches or turtles randomly selected among agents.

Usage

```
nOf(agents, n)

## S4 method for signature 'matrix,numeric'
nOf(agents, n)
```


Arguments

- agents** Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or
 Matrix (ncol = 3) with the first column "pxcor" and the second column "pycor" representing the patches coordinates and the third column "id", or
 AgentMatrix object representing the moving agents, or
 Matrix (ncol = 2) with the first column whoTurtles and the second column id.
- n** Integer. Number of patches or turtles to select from agents.

Details

n must be less or equal the number of patches or turtles in agents.

If agents is a matrix with ncol = 3, the selection of n random patches is done per individual "id". The order of the patches coordinates returned follow the order of "id".
 If agents is a matrix (ncol = 2) with columns whoTurtles and id, the selection of n random turtles (defined by their whoTurtles) is done per individual "id". The order of the who numbers returned follow the order of "id".

Value

Matrix (ncol = 2, nrow = n) with the first column pxcor and the second column pycor representing the coordinates of the selected patches from agents, or

Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the coordinates of the selected patches from agents, n per individual "id", or

AgentMatrix (nrow = n) representing the turtles selected from agents,

Integer. Vector of who numbers for the selected turtles from agents, n per individual "id".

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#n-of>

Examples

```
# Patches
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
pSelect <- nOf(agents = patches(w1), n = 5)

# Turtles
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
tSelect <- nOf(agents = t1, n = 2)
```

noPatches

No patches

Description

Report an empty patch agentset.

Usage

```
noPatches()
```

Value

Matrix (ncol = 2, nrow = 0) with the first column pxcor and the second column pycor.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#no-patches>

Examples

```
p1 <- noPatches()
NLcount(p1)
```

`noTurtles`*No turtles*

Description

Report an empty turtle agentset.

Usage

```
noTurtles()
```

Value

AgentMatrix with the turtle variables defined as when using `createTurtles()` but with 0 turtle.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#no-turtles>

Examples

```
t1 <- noTurtles()
NLcount(t1)
```

`numLayers.worldArray` *Methods for quickPlot*

Description

These are required to create plotting methods to work with **quickPlot**.

Usage

```
## S3 method for class 'worldArray'
numLayers(x)

## S3 method for class 'worldMatrix'
numLayers(x)

## S4 method for signature 'worldArray'
layerNames(object)

## S4 method for signature 'worldArray,.quickPlotGrob'
.identifyGrobToPlot(toPlot, sGrob, takeFromPlotObj)
```

Arguments

x	An object or list of objects.
object	An object from which to extract the layer names.
toPlot	The object to plot. Should be a single layer if from a multi-layer object such as a RasterStack.
sGrob	quickPlot grob object
takeFromPlotObj	Logical. Should the data come from the argument passed into Plot (TRUE), or from the (.quickPlotEnv) (FALSE).

Value

numLayers returns an integer representing the number of layers in a worldArray or worldMatrix (which is always 1L)

layerNames returns an character vector representing the names of the layers in a worldArray

of *Values of an agents variable*

Description

Report the agents values for the requested variable.

Usage

```
of(world, agents, var)

## S4 method for signature 'missing,agentMatrix,character'
of(agents, var)

## S4 method for signature 'worldMatrix,matrix,missing'
```

```
of(world, agents)
```

```
## S4 method for signature 'worldArray,matrix,character'
of(world, agents, var)
```

Arguments

world	WorldMatrix or worldArray object.
agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
var	Character. Vector of the names of the selected agents variables. If agents are patches and the world is a worldMatrix object, var must not be provided. If agents are patches and the world is a worldArray object, var is the name of the layers to use to define the patches values. If agents are turtles, var is some of the turtles' variable and can be any of the variables created when turtles were created, as well as any variable created with turtlesOwn().

Details

world must be provided only if agents are patches.

Value

Vector of values for the agents if one variable is requested. The class depends of the variable class. The order of the vector follows the order of the agents, or

```
Matrix or `Dataframe` (`ncol` = `length(var)`, `nrow` = `NLcount(agents)`)
if more than one variable is requested. The row order
follows the order of the `agents`.
```

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#of>

Examples

```

# Patches
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = 1:25
)
of(world = w1, agents = patch(w1, c(0, 0), c(4, 0)))

# Turtles
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
of(agents = t1, var = "heading")

```

oneOf

One random agent

Description

Report one patch or turtle randomly selected among agents.

Usage

```
oneOf(agents)
```

```
## S4 method for signature 'matrix'
```

```
oneOf(agents)
```

Arguments

`agents` Matrix (`ncol = 2`) with the first column `pxcor` and the second column `pycor` representing the patches coordinates, or

Matrix (``ncol` = 3`) with the first column `"`pxcor`"` and the second column `"`pycor`"` representing the `"patches"` coordinates and the third column `"`id`"`, or

`"AgentMatrix"` object representing the moving `"agents"`, or

Matrix (``ncol` = 2`) with the first column `"whoTurtles"` and the second column `"id"`.

Details

If `agents` is a matrix with `ncol = 3`, the selection of one random patch is done per individual `id`. The order of the patches coordinates returned follow the order of `id`. If `agents` is a matrix (`ncol = 2`) with columns `whoTurtles` and `id`, the selection of one random turtle (defined by their `whoTurtles`) is done per individual `id`. The order of the `who` numbers returned follow the order of `id`.

Value

Matrix (ncol = 2, nrow = 1) with the first column pxcor and the second column pycor representing the coordinates of the selected patch from agents, or

Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the coordinates of the selected patches from agents, one per individual id, or

AgentMatrix object representing the turtle selected from agents, or

Integer. Vector of who numbers for the selected turtles from agents, one per individual id.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#one-of>

Examples

```
# Patches
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
pSelect <- oneOf(agents = patches(w1))

# Turtles
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
tSelect <- oneOf(agents = t1)
```

other

Others

Description

Report an agentset of the agents except specific ones.

Usage

```
other(agents, except)

## S4 method for signature 'matrix,matrix'
other(agents, except)
```

Arguments

agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
except	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.

Details

Both agents and except must be of the same class (e.g., both patches or both turtles).

Warning: this function removes `turtles` only based on similar `who` numbers and `breed` names.

Value

Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches in agents without the ones in except, or

`AgentMatrix` representing the `turtles` in `agents` without the ones in `except`.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#other>

Examples

```
# Patches
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
p1 <- other(agents = patches(w1), except = patch(w1, 0, 0))
NLcount(p1) # 99 patches

# Turtles
t1 <- createTurtles(n = 10, coords = cbind(xcor = 0, ycor = 0))
t2 <- other(agents = t1, except = turtle(t1, who = 0))
NLcount(t2) # 9 turtles
```

patch	Patches <i>coordinates</i>
-------	----------------------------

Description

Report the coordinates of the patches at the given [x, y] locations.

Usage

```
patch(world, x, y, duplicate = FALSE, torus = FALSE, out = FALSE)

## S4 method for signature 'worldNLR,numeric,numeric'
patch(world, x, y, duplicate = FALSE, torus = FALSE, out = FALSE)
```

Arguments

world	WorldMatrix or worldArray object.
x	Numeric. Vector of x coordinates. Must be of same length as y.
y	Numeric. Vector of y coordinates. Must be of same length as x.
duplicate	Logical. If more than one location [x, y] fall into the same patch and duplicate == TRUE, the patch coordinates are returned the number of times the locations. If duplicate == FALSE, the patch coordinates are only returned once. Default is duplicate == FALSE.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.
out	Logical. If out = FALSE, no patch coordinates are returned for patches outside of the world's extent, if out = TRUE, NA are returned. Default is out = FALSE.

Details

If a location [x, y] is outside the world's extent and torus = FALSE and out = FALSE, no patch coordinates are returned; if torus = FALSE and out = TRUE, NA are returned; if torus = TRUE, the patch coordinates from a wrapped world are returned.

Value

Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates at [x, y].

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#patch>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
patch(world = w1, x = c(0, 9.1, 8.9, 5, 5.3), y = c(0, 0, -0.1, 12.4, 12.4))
patch(
  world = w1, x = c(0, 9.1, 8.9, 5, 5.3), y = c(0, 0, -0.1, 12.4, 12.4),
  duplicate = TRUE
)
patch(
  world = w1, x = c(0, 9.1, 8.9, 5, 5.3), y = c(0, 0, -0.1, 12.4, 12.4),
  torus = TRUE
)
patch(
  world = w1, x = c(0, 9.1, 8.9, 5, 5.3), y = c(0, 0, -0.1, 12.4, 12.4),
  torus = TRUE, duplicate = TRUE
)
```

patchAhead

Patches *ahead*

Description

Report the coordinates of the patches at the given distances of the turtles in the direction of their headings.

Usage

```
patchAhead(world, turtles, dist, torus = FALSE)
```

```
## S4 method for signature 'worldNLR,agentMatrix,numeric'
patchAhead(world, turtles, dist, torus = FALSE)
```

Arguments

<code>world</code>	WorldMatrix or worldArray object.
<code>turtles</code>	AgentMatrix object representing the moving agents.
<code>dist</code>	Numeric. Vector of distances from the turtles. <code>dist</code> must be of length 1 or of length turtles.
<code>torus</code>	Logical to determine if the world is wrapped. Default is <code>torus = FALSE</code> .

Details

If `torus = FALSE` and the patch at distance `dist` of a turtle is outside the world's extent, NA are returned for the patch coordinates. If `torus = TRUE`, the patch coordinates from a wrapped world are returned.

Value

Matrix (`ncol = 2`) with the first column `pxcor` and the second column `pycor` representing the coordinates of the patches at the distances `dist` and turtles's headings directions of turtles. The order of the patches follows the order of the turtles.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#patch-ahead>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
patchAhead(world = w1, turtles = t1, dist = 1)
```

patchAt	Patches <i>at</i>
---------	-------------------

Description

Report the coordinates of the patches at (dx, dy) distances of the agents.

Usage

```
patchAt(world, agents, dx, dy, torus = FALSE)
```

```
## S4 method for signature 'worldNLR,matrix,numeric,numeric'
patchAt(world, agents, dx, dy, torus = FALSE)
```

Arguments

world	WorldMatrix or worldArray object.
agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
dx	Numeric. Vector of distances to the east (right) from the agents. If dx is negative, the distance to the west (left) is computed. dx must be of length 1 or of the same length as number of patches or turtles in agents.
dy	Numeric. Vector of distances to the north (up) from the agents. If dy is negative, the distance to the south is computed (down). dy must be of length 1 or of the same length as number of patches or turtles in agents.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

If the patch at distance (dx, dy) of an agent is outside of the world's extent and torus = FALSE, NA are returned for the patch coordinates; if torus = TRUE, the patch coordinates from a wrapped world are returned.

Value

Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the coordinates of the patches at (dx, dy) distances of the agents. The order of the patches follows the order of the agents.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#patch-at>
<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#at-points>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
patchCorner <- patchAt(world = w1, agents = patch(w1, 0, 0), dx = 1, dy = 1)
t1 <- createTurtles(n = 1, coords = cbind(xcor = 0, ycor = 0))
patchCorner <- patchAt(world = w1, agents = t1, dx = 1, dy = 1)
```

patchDistDir	<i>Patches at given distances and directions</i>
--------------	--

Description

Report the coordinates of the patches at the given distances and directions from the agents.

Usage

```
patchDistDir(world, agents, dist, angle, torus = FALSE)

## S4 method for signature 'worldNLR,matrix,numeric,numeric'
patchDistDir(world, agents, dist, angle, torus = FALSE)
```

Arguments

world	WorldMatrix or worldArray object.
agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or <code>`AgentMatrix`</code> object representing the moving <code>`agents`</code> .
dist	Numeric. Vector of distances from the agents. Must be of length 1 or of the same length as the number of agents.
angle	Numeric. Absolute directions from the agents. angle must be of length 1 or of the same length as the number of agents. Angles are in degrees with 0 being North.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

If `torus = FALSE` and the patch at distance `dist` and direction angle of an agent is outside the world's extent, `NA` are returned for the patch coordinates. If `torus = TRUE`, the patch coordinates from a wrapped world are returned.

If ``agents`` are ``turtles``, their ``headings`` are not taken into account; the given directions ``angle`` are used. To find a ``patch`` at certain distance from a ``turtle`` using the ``turtle``'s ``heading``, look at ``patchAhead()``, ``patchLeft()`` or ``patchRight()``.

Value

Matrix (`ncol = 2`) with the first column `pxcor` and the second column `pycor` representing the coordinates of the patches at the distances `dist` and directions `angle` of agents. The order of the patches follows the order of the agents.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#patch-at-heading-and-distance>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
p1 <- patchDistDir(world = w1, agents = patch(w1, 0, 0), dist = 1, angle = 45)
t1 <- createTurtles(n = 1, coords = cbind(xcor = 0, ycor = 0), heading = 315)
p2 <- patchDistDir(world = w1, agents = t1, dist = 1, angle = 45)
```

patches

All the patches in a world

Description

Report the coordinates of all the patches in the world.

Usage

```
patches(world)

## S4 method for signature 'worldNLR'
patches(world)
```

Arguments

world WorldMatrix or worldArray object.

Value

Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates. The order of the patches follows the order of the cells numbers as defined for a Raster* object.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#patches>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
allPatches <- patches(world = w1)
NLcount(allPatches) # 100 patches
```

patchHere

Patches *here*

Description

Report the coordinates of the patches under the turtles locations.

Usage

```
patchHere(world, turtles)

## S4 method for signature 'worldNLR,agentMatrix'
patchHere(world, turtles)
```

Arguments

world WorldMatrix or worldArray object.
 turtles AgentMatrix object representing the moving agents.

Details

If a turtle is located outside of the world's extent, NA are returned for the patch coordinates.

Value

Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the coordinates of the patches at the turtles location. The order of the patches follows the order of the turtles.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#patch-here>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
patchHere(world = w1, turtles = t1)
```

 patchLeft

 Patches *on the left*

Description

Report the coordinates of the patches at the given distances of the turtles and given angle left of their headings.

Usage

```
patchLeft(world, turtles, dist, angle, torus = FALSE)
```

```
## S4 method for signature 'worldNLR,agentMatrix,numeric,numeric'
patchLeft(world, turtles, dist, angle, torus = FALSE)
```


Arguments

world	WorldMatrix or worldArray object.
turtles	AgentMatrix object representing the moving agents.
dist	Numeric. Vector of distances from the turtles. dist must be of length 1 or of length turtles.
angle	Numeric. Vector of angles in degrees by which the turtle's headings should rotate to locate the patches. Must be of length 1 or of length turtles.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

If a given dist value is negative, then the turtle would look backward. If a given angle value is negative, then the turtle would look to the right.

If `torus = FALSE` and the `patch` at distance `dist` of a `turtle` and `angle` degrees to the left of its `heading` is outside the `world`'s extent, `NA` are returned for the `patch` coordinates. If `torus = TRUE`, the `patch` coordinates from a wrapped `world` are returned.

Value

Matrix (ncol = 2) with the first column `pxcor` and the second column `pycor` representing the coordinates of the patches at `dist` distances of the turtles and `angle` to the left of their headings. The order of the patches follows the order of the turtles.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#patch-lr-and-ahead>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
t1 <- createTurtles(n = 1, coords = cbind(xcor = 2, ycor = 2), heading = 90)
patchLeft(world = w1, turtles = t1, dist = 2, angle = 90)
```

patchRight	Patches <i>on the right</i>
------------	-----------------------------

Description

Report the coordinates of the patches at the given distances of the turtles and given angle right of their headings.

Usage

```
patchRight(world, turtles, dist, angle, torus = FALSE)
```

```
## S4 method for signature 'worldNLR,agentMatrix,numeric,numeric'
patchRight(world, turtles, dist, angle, torus = FALSE)
```

Arguments

world	WorldMatrix or worldArray object.
turtles	AgentMatrix object representing the moving agents.
dist	Numeric. Vector of distances from the turtles. dist must be of length 1 or of length turtles.
angle	Numeric. Vector of angles in degrees by which the turtle's headings should rotate to locate the patches. Must be of length 1 or of length turtles.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

If a given dist value is negative, then the turtle would look backward. If a given angle value is negative, then the turtle would look to the left.

If `torus = FALSE` and the `patch` at distance `dist` of a `turtle` and `angle` degrees to the right of its `heading` is outside the `world`'s extent, `NA` are returned for the `patch` coordinates. If `torus = TRUE`, the `patch` coordinates from a wrapped `world` are returned.

Value

Matrix (ncol = 2) with the first column `pxcor` and the second column `pycor` representing the coordinates of the patches at `dist` distances of the turtles and `angle` to the right of their headings. The order of the patches follows the order of the turtles.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#patch-lr-and-ahead>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
t1 <- createTurtles(n = 1, coords = cbind(xcor = 2, ycor = 2), heading = 90)
patchRight(world = w1, turtles = t1, dist = 2, angle = 90)
```

patchSet	Patch <i>set</i>
----------	------------------

Description

Report the patch coordinates of all the unique patches contained in the inputs.

Usage

```
patchSet(...)

## S4 method for signature 'matrix'
patchSet(...)
```

Arguments

... Matrices (ncol = 2) of patches coordinates with the first column pxcor and the second column pycor.

Details

Duplicate patches among the inputs are removed in the returned matrix.

Value

Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#patch-set>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
p1 <- patchAt(world = w1, agents = patch(w1, c(0, 1, 2), c(0, 0, 0)), dx = 1, dy = 1)
p2 <- patchDistDir(world = w1, agents = patch(w1, 0, 0), dist = 1, angle = 45)
p3 <- patch(world = w1, x = 4.3, y = 8)
p4 <- patchSet(p1, p2, p3)
```

pExist

Do the patches exist?

Description

Report TRUE if a patch exists inside the world's extent, report FALSE otherwise.

Usage

```
pExist(world, pxcor, pycor)
```

```
## S4 method for signature 'worldNLR,numeric,numeric'
pExist(world, pxcor, pycor)
```

Arguments

world	WorldMatrix or worldArray object.
pxcor	Integer. Vector of patches pxcor coordinates. Must be of length 1 or of the same length as pycor.
pycor	Integer. Vector of patches pycor coordinates. Must be of length 1 or of the same length as pxcor.

Value

Logical.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#member>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
pExist(world = w1, pxcor = -1, pycor = 2)
```

plot.agentMatrix	<i>Basic plot methods for agentMatrix, worldMatrix, worldArray</i>
------------------	--

Description

These pass to plot, as a matrix of points (agentMatrix), as a raster (worldMatrix), or a rasterStack (worldArray). They can be modified.

Usage

```
## S3 method for class 'agentMatrix'
plot(x, ...)

## S3 method for class 'worldMatrix'
plot(x, ...)

## S3 method for class 'worldArray'
plot(x, ...)

## S3 method for class 'agentMatrix'
points(x, ...)
```

Arguments

x	an agentMatrix, worldMatrix or worldArray object
...	arguments passed to plot methods for matrix (agentMatrix) or raster (world*)

Value

none; invoked for side-effect of generating a plot.

Examples

```

# agentMatrix
newAgent <- new("agentMatrix",
  coords = cbind(pxcor = c(1, 2, 5), pycor = c(3, 4, 6)),
  char = letters[c(1, 2, 6)],
  nums2 = c(4.5, 2.6, 2343),
  char2 = LETTERS[c(4, 24, 3)],
  nums = 5:7
)
plot(newAgent)

## worldMatrix
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9, data = 1:100)
plot(w1)

## worldArray
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4, data = 1:25)
w2 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4, data = 25:1)
w3 <- stackWorlds(w1, w2)
plot(w3)

# agentMatrix
newAgent <- new("agentMatrix",
  coords = cbind(pxcor = c(1, 2, 5), pycor = c(3, 4, 6)),
  char = letters[c(1, 2, 6)],
  nums2 = c(4.5, 2.6, 2343),
  char2 = LETTERS[c(4, 24, 3)],
  nums = 5:7
)
points(newAgent)

```

PxcorPycorFromCell Patches *coordinates from cells numbers*

Description

Report the patches coordinates pxcor and pycor given the cells numbers as defined for a Raster* object.

Usage

```

PxcorPycorFromCell(world, cellNum)

## S4 method for signature 'worldNLR,numeric'
PxcorPycorFromCell(world, cellNum)

```

Arguments

world WorldMatrix or worldArray object.
cellNum Integer. Vector of cells number.

Value

Matrix (ncol = 2) with the first column pxcor and the second column pycor in the order of the given cellNum.

Author(s)

Sarah Bauduin

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
cellNum <- cellFromPxcorPycor(world = w1, pxcor = 0, pycor = 9)
PxcorPycorFromCell(world = w1, cellNum = cellNum)
cellNum <- cellFromPxcorPycor(world = w1, pxcor = c(0, 1, 2), pycor = 0)
PxcorPycorFromCell(world = w1, cellNum = cellNum)
```

randomPxcor

Random pxcor

Description

Report n random pxcor coordinates within the world's extent.

Usage

```
randomPxcor(world, n)
```

```
## S4 method for signature 'worldNLR,numeric'
randomPxcor(world, n)
```

Arguments

world	WorldMatrix or worldArray object.
n	Integer.

Value

Integer. Vector of length n of pxcor coordinates.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#random-pcor>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
pxcor <- randomPxcor(world = w1, n = 10)
```

randomPycor	<i>Random pycor</i>
-------------	---------------------

Description

Report *n* random pycor coordinates within the world's extent.

Usage

```
randomPycor(world, n)

## S4 method for signature 'worldNLR,numeric'
randomPycor(world, n)
```

Arguments

world	WorldMatrix or worldArray object.
n	Integer.

Value

Integer. Vector of length *n* of pycor coordinates.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#random-pcor>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
pycor <- randomPycor(world = w1, n = 10)
```

randomXcor	<i>Random xcor</i>
------------	--------------------

Description

Report n random xcor coordinates within the world's extent.

Usage

```
randomXcor(world, n)

## S4 method for signature 'worldNLR,numeric'
randomXcor(world, n)
```

Arguments

world	WorldMatrix or worldArray object.
n	Integer.

Value

Numeric. Vector of length n of xcor coordinates.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#random-cor>

Examples

```
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = runif(25)
)
t1 <- createTurtles(n = 10, coords = cbind(
  xcor = randomXcor(world = w1, n = 10),
  ycor = randomYcor(world = w1, n = 10)
))
plot(w1)
points(t1, col = of(agents = t1, var = "color"), pch = 16)
```

randomXYcor

Random turtles coordinates

Description

Report n random xcor and ycor coordinates within the world's extent.

Usage

```
randomXYcor(world, n)

## S4 method for signature 'worldNLR,numeric'
randomXYcor(world, n)
```

Arguments

world	WorldMatrix or worldArray object.
n	Integer.

Value

Matrix (ncol = 2, nrow = n) with the first column xcor and the second column ycor.

Author(s)

Sarah Bauduin

Examples

```
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = runif(25)
)
t1 <- createTurtles(n = 10, coords = randomXYcor(world = w1, n = 10))
plot(w1)
points(t1, col = of(agents = t1, var = "color"), pch = 16)
```

randomYcor	<i>Random ycor</i>
------------	--------------------

Description

Report n random ycor coordinates within the world's extent.

Usage

```
randomYcor(world, n)

## S4 method for signature 'worldNLR,numeric'
randomYcor(world, n)
```

Arguments

world	WorldMatrix or worldArray object.
n	Integer.

Value

Numeric. Vector of length n of ycor coordinates.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#random-chor>

Examples

```
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = runif(25)
)
t1 <- createTurtles(n = 10, coords = cbind(
  xcor = randomXcor(world = w1, n = 10),
  ycor = randomYcor(world = w1, n = 10)
))
plot(w1)
points(t1, col = of(agents = t1, var = "color"), pch = 16)
```

raster2world	<i>Convert a Raster* object into a worldMatrix or worldArray object</i>
--------------	---

Description

Convert a RasterLayer object into a worldMatrix object or a RasterStack object into a worldArray object.

Usage

```
raster2world(raster)
```

```
## S4 method for signature 'ANY'
raster2world(raster)
```

Arguments

raster RasterLayer or RasterStack object.

Details

See help("worldMatrix-class") or help("worldArray-class") for more details on the classes.

The number of rows and columns, as well as the cell values of the `raster` are kept the same. However, to match the coordinates system and resolution of a `worldMatrix` or `worldArray`, the grid is shifted by a 1/2 cell to have round coordinate values at the center of the patches and patch size is equal to (1,1). The bottom left corner cell coordinates of the `worldMatrix` or `worldArray` will be (pxcor = 0, pycor = 0).

Value

WorldMatrix or worldArray object depending on the input raster. Patches value are retained from the raster.

Author(s)

Sarah Bauduin

Examples

```
if (requireNamespace("raster")) {
  r1 <- raster::raster(raster::extent(c(0, 10, 0, 10)), nrows = 10, ncols = 10)
  r1[] <- runif(100)
  w1 <- raster2world(r1)
  terra::plot(r1)
  terra::plot(w1)
}
```

right	<i>Rotate to the right</i>
-------	----------------------------

Description

Rotate the turtles's headings to the right of angle degrees.

Usage

```
right(turtles, angle)
```

```
## S4 method for signature 'agentMatrix,numeric'  
right(turtles, angle)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
angle	Numeric. Vector of angles in degrees by which to rotate the turtles' headings. Must be of length 1 or of length turtles.

Details

If a given angle value is negative, then the turtle rotates to the left.

Value

AgentMatrix representing the turtles with updated heading values.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#right>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)  
t1 <- createTurtles(n = 10, world = w1)  
of(agents = t1, var = "heading")  
t1 <- right(turtles = t1, angle = 180)  
of(agents = t1, var = "heading")
```

setXY *Set turtles' locations*

Description

Set the turtles xcor and ycor coordinates.

Usage

```
setXY(turtles, xcor, ycor, world, torus = FALSE)
```

```
## S4 method for signature 'agentMatrix,numeric,numeric,missing,ANY'
setXY(turtles, xcor, ycor, torus)
```

```
## S4 method for signature 'agentMatrix,numeric,numeric,worldNLR,logical'
setXY(turtles, xcor, ycor, world, torus = FALSE)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
xcor	Numeric. Vector of x coordinates. Must be of length 1 or of length turtles.
ycor	Numeric. Vector of y coordinates. Must be of length 1 or of length turtles.
world	WorldMatrix or worldArray object.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

world must be provided only if torus = TRUE.

If the given coordinates `[xcor, ycor]` are located outside of the `world`'s extent and `torus = TRUE`, then the coordinates assigned to the `turtle` are the ones from a wrapped `world`; if `torus = FALSE`, the `turtle` is located outside of the `world`'s extent with the given coordinates.

Value

AgentMatrix representing the turtles with updated coordinates and updated data for their previous coordinates `prevX` and `prevY`.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#setxy>

Examples

```
w1 <- createWorld(  
  minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9,  
  data = runif(100)  
)  
t1 <- createTurtles(n = 5, coords = randomXYcor(w1, n = 5))  
plot(w1)  
points(t1, col = of(agents = t1, var = "color"), pch = 16)  
  
t1 <- setXY(turtles = t1, xcor = 1:5, ycor = 1:5)  
points(t1, col = of(agents = t1, var = "color"), pch = 16)
```

sf2turtles

From sf to agentMatrix

Description

Convert a sf object into an agentMatrix object.

Usage

```
sf2turtles(turtles_sf)  
  
## S4 method for signature 'ANY'  
sf2turtles(turtles_sf)
```

Arguments

turtles_sf sf object of POINT geometry representing moving agents.

Details

If the turtles_sf does not contain the variables created with createTurtles(), these variables will be created with the default values as in createTurtles().

Value

AgentMatrix object representing the moving agents (coordinates and data) as contained in turtles_sf.

Author(s)

Sarah Bauduin

Examples

```

if (requireNamespace("sf", quietly = TRUE)) {
  turtles_sf1 <- sf::st_as_sf(
    cbind.data.frame(
      x = c(1, 2, 3), y = c(1, 2, 3),
      age = c(0, 0, 3), sex = c("F", "F", "M")
    ),
    coords = c("x", "y")
  )
  t1 <- sf2turtles(turtles_sf = turtles_sf1)
}

```

show,agentMatrix-method

Key base R functions for agentMatrix class

Description

Slight modifications from the default versions.

Usage

```

## S4 method for signature 'agentMatrix'
show(object)

## S4 method for signature 'agentMatrix'
length(x)

## S4 method for signature 'agentMatrix'
nrow(x)

## S3 method for class 'agentMatrix'
head(x, n = 6L, ...)

## S3 method for class 'agentMatrix'
tail(x, n = 6L, ...)

```

Arguments

object	An agentMatrix object.
x	An agentMatrix object
n	an integer vector of length up to dim(x) (or 1, for non-dimensioned objects).
...	arguments to be passed to or from other methods (currently, none used).

Value

show is called for its side effects. It shows all columns of data, except for the coordinates. To access those, use coordinates(). length returns a non-negative integer of length 1, except for vectors of more than $2^{31} - 1$ elements, when it returns a double. nrow returns an integer of length 1 or NULL.

An agentMatrix object, like x, but generally smaller.

show, worldArray-method

Key base R functions for worldNLR classes

Description

Slight modifications from the default versions.

Usage

```
## S4 method for signature 'worldArray'
show(object)

## S4 method for signature 'worldMatrix'
show(object)
```

Arguments

object An agentMatrix object.

Value

show is called for its side effects. It shows key metadata elements of the worldArray or worldMatrix, plus the first 4 columns and rows of data

sortOn

Sort agents

Description

Return the agents sorted according to their value.

Usage

```

sortOn(agents, world, var)

## S4 method for signature 'matrix,worldMatrix,missing'
sortOn(agents, world)

## S4 method for signature 'matrix,worldArray,character'
sortOn(agents, world, var)

## S4 method for signature 'agentMatrix,missing,character'
sortOn(agents, var)

```

Arguments

agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
world	WorldMatrix or worldArray object.
var	Character. The name of the selected agents variable. If agents are patches and the world is a worldMatrix object, var must not be provided. If agents are patches and the world is a worldArray object, var is the name of the layer to use to define the patches values. If agents are turtles, var is one of the turtles' variable and can be equal to xcor, ycor, any of the variables created when turtles were created, as well as any variable created using turtlesOwn().

Details

world must not be provided if agents are turtles.

The sorting of the `agents` is done in a increasing order.

Value

Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the coordinates of the patches sorted according to their values, if agents are patches, or

`AgentMatrix` representing the `turtles` sorted according to their `var` values, if `agents` are `turtles`.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#sort-on>

Examples

```
# Patches
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = sample(1:5, size = 25, replace = TRUE)
)
plot(w1)
p1 <- sortOn(agents = patches(w1), world = w1)

# Turtles
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
sortHeadingT1 <- sortOn(agents = t1, var = "heading")

# or
library(quickPlot)

Plot(w1)
Plot(t1, addTo = "w1")
```

spatRast2world	<i>Convert a SpatRaster object into a worldMatrix or worldArray object</i>
----------------	--

Description

Convert a SpatRaster object into a worldMatrix object or a worldArray object depending on the number of layers of the SpatRaster object.

Usage

```
spatRast2world(raster)

## S4 method for signature 'SpatRaster'
spatRast2world(raster)
```

Arguments

raster SpatRaster object.

Details

See `help("worldMatrix-class")` or `help("worldArray-class")` for more details on the classes.

If the ``SpatRaster`` object has only one layer, a ``worldMatrix`` object will be returned. If the ``SpatRaster`` object has more than one layer, layers must have unique names and a ``worldArray`` object will be returned.

The number of rows and columns, as well as the cell values of the ``raster`` are kept the same. However, to match the coordinates system and resolution of a ``worldMatrix`` or ``worldArray``, the grid is shifted by a 1/2 cell to have round coordinate values at the center of the patches and patch size is equal to (1,1). The bottom left corner cell coordinates of the ``worldMatrix`` or ``worldArray`` will be (`pxcor = 0`, `pycor = 0`).

Value

WorldMatrix or worldArray object depending on the number of layers of the input raster. Patches value are retained from the raster.

Author(s)

Sarah Bauduin

Examples

```
library(terra)
r1 <- rast(xmin = 0, xmax = 10, ymin = 0, ymax = 10, nrows = 10, ncols = 10)
r1[] <- runif(100)
w1 <- spatRast2world(r1)
terra::plot(r1)
plot(w1)

r2 <- rast(xmin = 0, xmax = 10, ymin = 0, ymax = 10, nrows = 10, ncols = 10)
r2[] <- 0
r3 <- c(r1, r2)
names(r3) <- c("layer1", "layer2")
w3 <- spatRast2world(r3)
terra::plot(r3)
plot(w3)
```

Description

Convert a SpatialPointsDataFrame object into an agentMatrix object.

Usage

```

sprout2turtles(spdf)

## S4 method for signature 'ANY'
sprout2turtles(spdf)

```

Arguments

spdf SpatialPointsDataFrame object representing moving agents.

Details

If the spdf does not contain the variables created with createTurtles(), these variables will be created with the default values as in createTurtles().

Value

AgentMatrix object representing the moving agents (coordinates and data) as contained in spdf.

Author(s)

Sarah Bauduin

Examples

```

if (requireNamespace("sp", quietly = TRUE)) {
  sp1 <- sp::SpatialPointsDataFrame(
    coords = cbind(x = c(1, 2, 3), y = c(1, 2, 3)),
    data = cbind.data.frame(
      age = c(0, 0, 3),
      sex = c("F", "F", "M")
    )
  )
  t1 <- sprout2turtles(spdf = sp1)
}

```

sprout

Sprout new turtles

Description

Create n new turtles on specific patches.

Usage

```

sprout(n, patches, breed, heading, color, turtles)

## S4 method for signature 'numeric,matrix'
sprout(n, patches, breed, heading, color, turtles)

```

Arguments

n	Integer. Vector of length 1 or of length the number of patches. Number of new turtles to create on each patch.
patches	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates.
breed	Character. Vector of breed names. Must be of length 1 or of length the number of patches. If missing, breed = turtle for all the sprouted turtles.
heading	Numeric. Vector of values between 0 and 360. Must be of length 1 or of length the number of patches. If missing, a random heading is assigned to each sprouted turtle.
color	Character. Vector of color names. Must be of length 1, of length the number of patches or of length sum(n). If missing, colors are assigned using the function rainbow(n).
turtles	AgentMatrix object representing the moving agents.

Details

nrow(patches) must be equal to 1 or to n.

If ``turtles`` is provided, the new ``turtles`` are added to the ``turtles`` when returned. The ``who`` numbers of the sprouted ``turtles`` therefore follow the ones from the ``turtles``.
All new sprouted ``turtles`` are placed at the end of the ``agentMatrix`` object.
If no ``turtles`` is provided, a new ``agentMatrix`` is created and the ``who`` numbers start at 0.

If ``turtles`` is provided and had additional variables created with ``turtlesOwn()``, ``NA`` is given for these variables for the new sprouted ``turtles``.

Value

AgentMatrix including the new sprouted turtles.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#sprout>

Examples

```
t1 <- sprout(patches = cbind(pxcor = 2, pycor = 2), n = 3)
t2 <- sprout(patches = cbind(pxcor = 3, pycor = 3), n = 3, turtles = t1)
```

stackWorlds

Stack worlds

Description

Stack multiple worldMatrix into a worldArray.

Usage

```
stackWorlds(...)

## S4 method for signature 'worldMatrix'
stackWorlds(...)
```

Arguments

... worldMatrix objects. If passed as unnamed objects, then the function will attempt to use their object names as layer names. Alternatively, to be more reliable, these can be passed as named arguments. See examples.

Details

The worldMatrix objects must all have the same extents.

Value

worldArray object.

Author(s)

Sarah Bauduin

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4, data = 1:25)
w2 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4, data = 25:1)
w3 <- stackWorlds(w1, w2)
plot(w3)

# pass named arguments to specify a different name than the object name
w4 <- stackWorlds(layer1 = w1, layer2 = w2)
```

subHeadings

Subtract headings

Description

Compute the difference between headings.

Usage

```
subHeadings(angle1, angle2, range360 = FALSE)

## S4 method for signature 'numeric,numeric'
subHeadings(angle1, angle2, range360 = FALSE)

## S4 method for signature 'agentMatrix,numeric'
subHeadings(angle1, angle2, range360 = FALSE)

## S4 method for signature 'numeric,agentMatrix'
subHeadings(angle1, angle2, range360 = FALSE)

## S4 method for signature 'agentMatrix,agentMatrix'
subHeadings(angle1, angle2, range360 = FALSE)
```

Arguments

angle1	AgentMatrix object representing the moving agents, or Numeric. Vector of angles.
angle2	AgentMatrix object representing the moving agents, or Numeric. Vector of angles.
range360	Logical. If range360 = TRUE, returned values are between 0 and 360 degrees; if range360 = FALSE, returned values are between -180 and 180 degrees. Default is range360 = FALSE.

Details

This function does the opposite as the one in NetLogo where angle1 is the target heading.

``angle1`` and ``angle2`` must be of the same length or if different, one of them must be of length 1.

Positive values mean clockwise rotations, negative value mean counterclockwise rotations.

Value

Numeric. Vector of the smallest angles in degrees by which angle1 could be rotated to produce angle2 (i.e., the target heading).

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#subtract-headings>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
t1 <- createOTurtles(n = 10, world = w1)
subHeadings(angle1 = t1, angle2 = 0)
```

tExist

Do the turtle exist?

Description

Report TRUE if a turtle exists inside the turtles, report FALSE otherwise.

Usage

```
tExist(turtles, who, breed)
```

```
## S4 method for signature 'agentMatrix,numeric,missing'
tExist(turtles, who)
```

```
## S4 method for signature 'agentMatrix,numeric,character'
tExist(turtles, who, breed)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
who	Integer. Vector of the who numbers for the selected turtles.
breed	Characters. Vector of breed names for the selected turtles. If missing, there is no distinction based upon breed.

Value

Logical. Vector of TRUE or FALSE if the who numbers with any of the breed, if provided, exist or not inside the turtles.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#member>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
t1 <- createTurtles(
  n = 10, coords = randomXYcor(w1, n = 10),
  breed = c(rep("sheep", 5), rep("wolf", 5))
)
tExist(turtles = t1, who = 3, breed = "sheep")
tExist(turtles = t1, who = 9, breed = "sheep")
tExist(turtles = t1, who = 9, breed = c("sheep", "wolf"))
tExist(turtles = t1, who = c(3, 9))
```

towards

Directions towards

Description

Report the directions of each agents towards each corresponding agents2.

Usage

```
towards(agents, agents2, world, torus = FALSE)
```

```
## S4 method for signature 'matrix,matrix'
towards(agents, agents2, world, torus = FALSE)
```

Arguments

agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
agents2	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`, or Matrix (`ncol` = 2) with the first column `x` and the second column `y` representing locations coordinates.
world	WorldMatrix or worldArray object.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

agents and agents2 must have the same number of agents/locations or if different, one of them must have only one agent/location. If agents and agents2 have the same number of agents/locations, the directions are calculated for each pair agents[i] and agents2[i] and not for each agents towards every single agents2.

If `torus = FALSE`, `world` does not need to be provided.

If `torus = TRUE` and the distance from one `agents` to its corresponding `agents2` is smaller around the sides of the `world` than across it, then the direction to `agents2` going around the sides of the `world` is returned.

The direction from a patch to its location returns 0; the direction from a turtle to its location returns the turtle's heading.

Value

Numeric. Vector of angles in degrees of length equal to the largest number of agents/locations between agents and agents2.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#towards>

<<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#towardsxy>>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4)
towards(agents = patches(w1), agents2 = cbind(x = 0, y = 0))
t1 <- createTurtles(n = 10, world = w1)
towards(agents = t1, agents2 = cbind(x = 0, y = 0))
```

turtle

Select turtles

Description

Report the individuals among turtles based on their who numbers and breed.

Usage

```
turtle(turtles, who, breed)

## S4 method for signature 'agentMatrix,numeric,missing'
turtle(turtles, who)

## S4 method for signature 'agentMatrix,numeric,character'
turtle(turtles, who, breed)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
who	Integer. Vector of the who numbers for the selected turtles.
breed	Characters. Vector of breed names for the selected turtles. If missing, there is no distinction based upon breed.

Details

If no turtle matches the given who numbers, with potentially one of the given breed, inside turtles, then an empty agentMatrix is returned.

If there are duplicates `who` numbers among the `turtles`, the first matching `turtle` with the requested `who` number is returned.

Value

AgentMatrix of the selected turtles sorted in the order of the who numbers requested. If breed was provided, the turtles selected are of one of the breed.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#turtle>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
t2 <- turtle(t1, who = 2)
```

turtles2sf

From agentMatrix to sf

Description

Convert an agentMatrix object into an sf object.

Usage

```
turtles2sf(turtles)

## S4 method for signature 'ANY'
turtles2sf(turtles)
```

Arguments

turtles AgentMatrix object representing the moving agents.

Value

sf object of POINT geometry representing the moving agents (coordinates and data) as contained in turtles.

Author(s)

Sarah Bauduin

Examples

```
t1 <- createTurtles(n = 10, coords = cbind(xcor = 1:10, ycor = 1:10))
if (requireNamespace("sf", quietly = TRUE)) {
  sf_t1 <- turtles2sf(turtles = t1)
}
```

turtles2spdf

From agentMatrix to SpatialPointsDataFrame

Description

Convert an agentMatrix object into a SpatialPointsDataFrame object.

Usage

```
turtles2spdf(turtles)

## S4 method for signature 'agentMatrix'
turtles2spdf(turtles)
```

Arguments

turtles AgentMatrix object representing the moving agents.

Value

SpatialPointsDataFrame object representing the moving agents (coordinates and data) as contained in turtles.

Author(s)

Sarah Bauduin

Examples

```
t1 <- createTurtles(n = 10, coords = cbind(xcor = 1:10, ycor = 1:10))
if (requireNamespace("sp", quietly = TRUE)) {
  sp1 <- turtles2spdf(turtles = t1)
}
```

turtlesAt	Turtles <i>at</i>
-----------	-------------------

Description

Report the individuals among turtles that are located on the patches at (dx, dy) distances of the agents.

Usage

```
turtlesAt(world, turtles, agents, dx, dy, breed, torus = FALSE)

## S4 method for signature
## 'worldNLR,agentMatrix,matrix,numeric,numeric,missing'
turtlesAt(world, turtles, agents, dx, dy, torus)

## S4 method for signature
## 'worldNLR,agentMatrix,matrix,numeric,numeric,character'
turtlesAt(world, turtles, agents, dx, dy, breed, torus = FALSE)
```

Arguments

world	WorldMatrix or worldArray object.
turtles	AgentMatrix object representing the moving agents.
agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
dx	Numeric. Vector of distances to the east (right) from the agents. If dx is negative, the distance to the west (left) is computed. dx must be of length 1 or of the same length as number of patches or turtles in agents.
dy	Numeric. Vector of distances to the north (up) from the agents. If dy is negative, the distance to the south is computed (down). dy must be of length 1 or of the same length as number of patches or turtles in agents.
breed	Characters. Vector of breed names for the selected turtles. If missing, there is no distinction based upon breed.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

If the patch at distance (dx, dy) of an agent is outside of the world's extent and torus = FALSE, no turtle is returned; if torus = TRUE, the turtle located on the patch whose coordinates are defined from the wrapped world is returned.

Value

AgentMatrix representing the individuals among turtles of any of the given breed, if specified, which are located on the patches at (dx, dy) distances of the agents.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#turtles-at>
<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#at-points>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
t1 <- createTurtles(
  n = 10, coords = cbind(xcor = 0:9, ycor = 0:9),
  breed = c(rep("sheep", 5), rep("wolf", 5))
)
t2 <- turtlesAt(
  world = w1, turtles = t1, agents = turtle(t1, who = 0),
  dx = 1, dy = 1
)
t3 <- turtlesAt(
  world = w1, turtles = t1,
  agents = patch(w1, c(3, 4, 5), c(3, 4, 5)), dx = 1, dy = 1,
  breed = "sheep"
)
```

turtleSet

Create a turtle agentset

Description

Report a turtle agentset containing all unique turtles provided in the inputs.

Usage

```
turtleSet(...)

## S4 method for signature 'agentMatrix'
turtleSet(...)
```


Arguments

... AgentMatrix objects representing the moving agents.

Details

Duplicated turtles are identified based only on their who numbers. The turtle chosen for a who number is the first one given in the inputs. To keep all turtles from the inputs, use NLset() to reassign who numbers in some of the inputs, prior using turtleSet(), to avoid turtles with duplicated who numbers.

Value

AgentMatrix object containing all the unique turtles.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#turtle-set>

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9)
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10), breed = "sheep")
t2 <- createTurtles(n = 2, coords = randomXYcor(w1, n = 2), breed = "wolf")
t2 <- NLset(turtles = t2, agents = t2, var = "who", val = c(10, 11))
t3 <- createTurtles(n = 1, coords = randomXYcor(w1, n = 1), breed = "sheperd")
t3 <- NLset(turtles = t3, agents = t3, var = "who", val = 12)
t4 <- turtleSet(t1, t2, t3)
```

turtlesOn

Turtles *on*

Description

Report the individuals among turtles that are on the same patches as the agents.

Usage

```
turtlesOn(world, turtles, agents, breed, simplify = TRUE)

## S4 method for signature 'worldNLR,agentMatrix,matrix,missing'
turtlesOn(world, turtles, agents, simplify)

## S4 method for signature 'worldNLR,agentMatrix,matrix,character'
turtlesOn(world, turtles, agents, breed, simplify = TRUE)
```

Arguments

world	WorldMatrix or worldArray object.
turtles	AgentMatrix object representing the moving agents.
agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
breed	Characters. Vector of breed names for the selected turtles. If missing, there is no distinction based upon breed.
simplify	Logical. If simplify = TRUE, all turtles on the same patches as any agents are returned; if simplify = FALSE, the turtles are evaluated for each agents's patches individually.

Details

The agents must be located inside the world's extent.

Value

AgentMatrix representing any individuals from turtles of any of the given breed, if specified, located on the same patches as any of the agents, if simplify = TRUE, or

```
Matrix (`ncol` = 2) with the first column `whoTurtles` and the second column
`id` showing which `turtles` are on the same
`patches` as which `agents` represented by `id`, if `simplify = FALSE`.
`id` represents and follows the order of the `agents`. `id` does not represent
the `who` numbers
of the `agents` if `agents` are `turtles`.
```

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#turtles-on>

Examples

```
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9,
  data = runif(100)
)
t1 <- createTurtles(n = 500, coords = randomXYcor(w1, n = 500))
plot(w1)
points(t1, col = of(agents = t1, var = "color"), pch = 16)

t2 <- turtlesOn(world = w1, turtles = t1, agents = patch(w1, 2, 2))
```

turtlesOwn	<i>New turtles variable</i>
------------	-----------------------------

Description

Create a new variable for the turtles.

Usage

```
turtlesOwn(turtles, tVar, tVal)

## S4 method for signature 'agentMatrix,character,missing'
turtlesOwn(turtles, tVar)

## S4 method for signature 'agentMatrix,character,ANY'
turtlesOwn(turtles, tVar, tVal)
```

Arguments

turtles	AgentMatrix object representing the moving agents.
tVar	Character. the name of the turtles variable to create.
tVal	Vector representing the values of tVar. Must be of length 1 or of length turtles. If missing, NA is given.

Value

AgentMatrix representing the turtles with the new variable tVar added.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#turtles-own>

Examples

```
t1 <- createTurtles(n = 5, coords = cbind(xcor = 0, ycor = 0))
t1 <- turtlesOwn(turtles = t1, tVar = "sex", tVal = c("F", "F", "F", "M", "M"))
```

updateList

Update elements of a named list with elements of a second named list

Description

Merge two named list based on their named entries. Where any element matches in both lists, the value from the second list is used in the updated list. Subelements are not examined and are simply replaced. If one list is empty, then it returns the other one, unchanged.

Usage

```
updateList(x, y)

## S4 method for signature 'list,list'
updateList(x, y)

## S4 method for signature '`NULL`,list'
updateList(x, y)

## S4 method for signature 'list,`NULL`'
updateList(x, y)

## S4 method for signature '`NULL`,`NULL`'
updateList(x, y)
```

Arguments

x, y a named list

Value

A named list, with elements sorted by name. The values of matching elements in list y replace the values in list x.

Author(s)

Alex Chubaty

Examples

```
L1 <- list(a = "hst", b = NA_character_, c = 43)
L2 <- list(a = "gst", c = 42, d = list(letters))
updateList(L1, L2)

updateList(L1, NULL)
updateList(NULL, L2)
updateList(NULL, NULL) # should return empty list
```

uphill

Move uphill

Description

Move the turtles to their neighboring patch with the highest value.

Usage

```
uphill(world, pVar, turtles, nNeighbors, torus = FALSE)

## S4 method for signature 'worldMatrix,missing,agentMatrix,numeric'
uphill(world, turtles, nNeighbors, torus)

## S4 method for signature 'worldArray,character,agentMatrix,numeric'
uphill(world, pVar, turtles, nNeighbors, torus = FALSE)
```

Arguments

world	WorldMatrix or worldArray object.
pVar	Character. If the world is a worldArray object, pVar is the name of the layer to use to define the patches values. pVar must not be provided if the world is a worldMatrix object.
turtles	AgentMatrix object representing the moving agents.
nNeighbors	Integer: 4 or 8. Represents the number of neighbor patches considered.
torus	Logical to determine if the world is wrapped. Default is torus = FALSE.

Details

If no neighboring patch has a larger value than the patch where the turtle is currently located on, the turtle stays on this patch. It still moves to the patch center if it was not already on it.

If there are multiple neighboring `patches` with the same highest value, the `turtle` chooses one `patch` randomly.

If a `turtle` is located on a `patch` on the edge of the `world` and `torus = FALSE`, it has fewer neighboring `patches` as options to move than `nNeighbors`; if `torus = TRUE`, the `turtle` can move on the other side of the `world` to move uphill and its choice of neighboring `patches` is always equals to `nNeighbors`.

Value

AgentMatrix representing the turtles with updated coordinates and updated data for their heading values and previous coordinates prevX and prevY.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#uphill>

Examples

```
w1 <- createWorld(
  minPxcor = 1, maxPxcor = 10, minPycor = 1, maxPycor = 10,
  data = runif(100)
)
t1 <- createTurtles(n = 10, coords = randomXYcor(w1, n = 10))
plot(w1)
points(t1, col = of(agents = t1, var = "color"), pch = 16)

if (requireNamespace("SpaDES.tools", quietly = TRUE)) {
  t1 <- uphill(world = w1, turtles = t1, nNeighbors = 8)
  points(t1, col = of(agents = t1, var = "color"), pch = 16)
}
```

withMax	Agents <i>with maximum</i>
---------	----------------------------

Description

Report the patches or turtles among agents which have their variable equals to the maximum value.

Usage

```
withMax(agents, world, var)

## S4 method for signature 'matrix,worldMatrix,missing'
withMax(agents, world)

## S4 method for signature 'matrix,worldArray,character'
withMax(agents, world, var)

## S4 method for signature 'agentMatrix,missing,character'
withMax(agents, var)
```

Arguments

agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
world	WorldMatrix or worldArray object.
var	Character. The name of the selected agents variable. If agents are patches and the world is a worldMatrix object, var must not be provided. If agents are patches and the world is a worldArray object, var is the name of the layer to use to define the patches values. If agents are turtles, var is one of the turtles' variable and can be equal to xcor, ycor, any of the variables created when turtles were created, as well as any variable created using turtlesOwn().

Details

world must not be provided if agents are turtles.

Value

Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the coordinates of the patches among the agents which have their variable equal to the maximum value among the agents, or

`AgentMatrix` representing the `turtles` among the `agents` which have their variable `var` equal to the maximum value among the `agents`.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#with-max>

Examples

```
# Patches
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = sample(1:5, size = 25, replace = TRUE)
)
plot(w1)
p1 <- withMax(agents = patches(w1), world = w1)

# Turtles
t1 <- createTurtles(
  n = 10, coords = randomXYcor(w1, n = 10),
  heading = sample(1:3, size = 10, replace = TRUE)
)
t2 <- withMax(agents = t1, var = "heading")
```

withMin

Agents *with minimum*

Description

Report the patches or turtles among agents which have their variable equals to the minimum value.

Usage

```
withMin(agents, world, var)
```

```
## S4 method for signature 'matrix,worldMatrix,missing'
withMin(agents, world)
```



```
## S4 method for signature 'matrix,worldArray,character'
withMin(agents, world, var)

## S4 method for signature 'agentMatrix,missing,character'
withMin(agents, var)
```

Arguments

agents	Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the patches coordinates, or `AgentMatrix` object representing the moving `agents`.
world	WorldMatrix or worldArray object.
var	Character. The name of the selected agents variable. If agents are patches and the world is a worldMatrix object, var must not be provided. If agents are patches and the world is a worldArray object, var is the name of the layer to use to define the patches values. If agents are turtles, var is one of the turtles' variable and can be equal to xcor, ycor, any of the variables created when turtles were created, as well as any variable created using turtlesOwn().

Details

world must not be provided if agents are turtles.

Value

Matrix (ncol = 2) with the first column pxcor and the second column pycor representing the coordinates of the patches among the agents which have their variable equal to the minimum value among the agents, or

```
`AgentMatrix` representing the `turtles` among the `agents`
which have their variable
`var` equal to the minimum value among the `agents`.
```

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#with-min>

Examples

```

# Patches
w1 <- createWorld(
  minPxcor = 0, maxPxcor = 4, minPycor = 0, maxPycor = 4,
  data = sample(1:5, size = 25, replace = TRUE)
)
plot(w1)
p1 <- withMin(agents = patches(w1), world = w1)

# Turtles
t1 <- createTurtles(
  n = 10, coords = randomXYcor(w1, n = 10),
  heading = sample(1:3, size = 10, replace = TRUE)
)
t2 <- withMin(agents = t1, var = "heading")

```

world2raster

Convert a worldMatrix or worldArray object into a Raster object*

Description

Convert a worldMatrix object into a RasterLayer object or a worldArray object into a RasterStack object

Usage

```

world2raster(world)

## S4 method for signature 'worldMatrix'
world2raster(world)

## S4 method for signature 'worldArray'
world2raster(world)

```

Arguments

world WorldMatrix or worldArray object.

Details

The Raster* returned has the same extent and resolution as the world with round coordinates at the center of the cells and coordinates x.5 at the edges of the cells.

Value

RasterLayer or RasterStack object depending on the input world. Patches value are retained from the world.

Author(s)

Sarah Bauduin

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9, data = runif(100))
if (requireNamespace("raster", quietly = TRUE)) {
  r1 <- world2raster(w1)
  terra::plot(r1)
}
```

world2spatRast	<i>Convert a worldMatrix or worldArray object into a SpatRaster object</i>
----------------	--

Description

Convert a worldMatrix object or a worldArray object into a SpatRaster object

Usage

```
world2spatRast(world)

## S4 method for signature 'worldMatrix'
world2spatRast(world)

## S4 method for signature 'worldArray'
world2spatRast(world)
```

Arguments

world WorldMatrix or worldArray object.

Details

The SpatRaster returned has the same extent and resolution as the world with round coordinates at the center of the cells and coordinates $x.5$ at the edges of the cells.

Value

SpatRaster object. Patches value are retained from the world.

Author(s)

Sarah Bauduin

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9, data = runif(100))
r1 <- world2spatRast(w1)
terra::plot(r1)

w2 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9, data = 0)
w3 <- stackWorlds(w1, w2)
r3 <- world2spatRast(w3)
terra::plot(r3)
```

worldArray-class	<i>The worldArray class</i>
------------------	-----------------------------

Description

This is an s4 class extension of array. It is a collection of several worldMatrix objects with the same extent (i.e., same values for all their slots) stacked together. It is used to keep more than one value per patch.

Author(s)

Sarah Bauduin, Eliot McIntire, and Alex Chubaty

See Also

[worldMatrix\(\)](#)

worldHeight	World <i>height</i>
-------------	---------------------

Description

Report the height of the world in patch number.

Usage

```
worldHeight(world)

## S4 method for signature 'worldNLR'
worldHeight(world)
```

Arguments

world WorldMatrix or worldArray object.

Value

Integer.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#world-dim>

Examples

```
w1 <- createWorld()
worldHeight(w1)
```

worldMatrix-class *The worldMatrix class*

Description

This is an `s4` class extension of `matrix` with 7 additional slots. A `worldMatrix` object can be viewed as a grid composed of squared patches (i.e., matrix cells). Patches have two spatial coordinates `pxcor` and `pycor`, representing the location of their center. `pxcor` and `pycor` are always integer and increment by 1. `pxcor` increases as you move right and `pycor` increases as you move up. `pxcor` and `pycor` can be negative if there are patches to the left or below the patch [`pxcor = 0`, `pycor = 0`].

Details

The first four slots of the `worldMatrix` are: `minPxcor`, `maxPxcor`, `minPycor`, `maxPycor` which represent the minimum and maximum patches coordinates in the `worldMatrix`. The slot extent is similar to a `Raster*` extent. Because `pxcor` and `pycor` represent the spatial location at the center of the patches and the resolution of them is 1, the extent of the `worldMatrix` is equal to `xmin = minPxcor - 0.5`, `xmax = maxPxcor + 0.5`, `ymin = minPycor - 0.5`, and `ymax = maxPycor + 0.5`. The number of patches in a `worldMatrix` is equal to $((\text{maxPxcor} - \text{minPxcor}) + 1) * ((\text{maxPycor} - \text{minPycor}) + 1)$. The slot `res` is equal to 1 as it is the spatial resolution of the patches. The last slot `pCoords` is a matrix representing the patches coordinates of all the matrix cells in the order of cells in a `Raster*` (i.e., by rows).

Careful: The methods `[]` and `[] <-` retrieve or assign values for the patches in the given order of the patches coordinates provided. When no patches coordinates are provided, the values retrieved or assigned is done in the order of the cell numbers as defined in in `Raster*` objects (i.e., by rows).

Author(s)

Sarah Bauduin, Eliot McIntire, and Alex Chubaty

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

[worldArray\(\)](#)

worldNLR-class	<i>The worldNLR class</i>
----------------	---------------------------

Description

The worldNLR class is the union of the worldMatrix and worldArray classes. Mostly used for building function purposes.

Author(s)

Sarah Bauduin, and Eliot McIntire

worldWidth	World <i>width</i>
------------	--------------------

Description

Report the width of the world in patch number.

Usage

```
worldWidth(world)
```

```
## S4 method for signature 'worldNLR'
worldWidth(world)
```

Arguments

world WorldMatrix or worldArray object.

Value

Integer.

Author(s)

Sarah Bauduin

References

Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University. Evanston, IL.

See Also

<https://ccl.northwestern.edu/netlogo/docs/dictionary.html#world-dim>

Examples

```
w1 <- createWorld()
worldWidth(w1)
```

wrap

Wrap coordinates or pixels in a torus-like fashion

Description

Generally for model development purposes.

Usage

```
wrap(obj, bounds, withHeading)
```

```
## S4 method for signature 'ANY'
wrap(obj, bounds, withHeading)
```

Arguments

obj	A <code>SpatialPoints*</code> object, or matrix of coordinates.
bounds	Either a <code>Raster*</code> , <code>Extent</code> , or <code>bbox</code> object defining bounds to wrap around.
withHeading	Logical. If <code>TRUE</code> , then the previous points must be wrapped also so that the subsequent heading calculation will work. Default <code>FALSE</code> . See details.

Details

If `withHeading` used, then `obj` must be a `SpatialPointsDataFrame` that contains two columns, `x1` and `y1`, with the immediately previous agent locations.

Value

Same class as `obj`, but with coordinates updated to reflect the wrapping.

Author(s)

Eliot McIntire

Examples

```

if (requireNamespace("terra")) {
  xrange <- yrange <- c(-50, 50)
  hab <- terra::rast(terra::ext(c(xrange, yrange)))
  hab[] <- runif(terra::ncell(hab))

  # initialize agents
  N <- 10

  # previous points
  x1 <- rep(0, N)
  y1 <- rep(0, N)
  # initial points
  starts <- cbind(
    x = stats::runif(N, xrange[1], xrange[2]),
    y = stats::runif(N, yrange[1], yrange[2])
  )

  # create the agent object
  agent <- agentMatrix(coords = starts, data = data.frame(x1 = x1, y1 = y1))

  ln <- rlnorm(N, 1, 0.02) # log normal step length
  sd <- 30 # could be specified globally in params

  if (interactive()) {
    library(quickPlot)
    clearPlot()
    Plot(hab, zero.color = "white", axes = "L")
    Plot(agent, addTo = "hab")
  }
  if (requireNamespace("SpaDES.tools") &&
      requireNamespace("CircStats")) {
    for (i in 1:10) {
      agent <- SpaDES.tools::crw(
        agent = agent,
        extent = terra::ext(hab), stepLength = ln,
        stddev = sd, lonlat = FALSE, torus = TRUE
      )
      if (interactive()) Plot(agent, addTo = "hab", axes = TRUE)
    }
  }
}

```


Description

Operators acting on vectors, matrices, arrays and lists to extract or replace parts.

Usage

```
## S4 method for signature 'worldMatrix,numeric,numeric,ANY'
x[i, j, ..., drop = TRUE]

## S4 method for signature 'worldMatrix,missing,missing,ANY'
x[i, j, ..., drop = TRUE]

## S4 replacement method for signature 'worldMatrix,numeric,numeric,ANY'
x[i, j] <- value

## S4 replacement method for signature 'worldMatrix,missing,missing,ANY'
x[i, j] <- value

## S4 method for signature 'worldArray,numeric,numeric,ANY'
x[i, j, ..., drop = TRUE]

## S4 method for signature 'worldArray,missing,missing,ANY'
x[i, j, ..., drop = TRUE]

## S4 replacement method for signature 'worldArray,numeric,numeric,matrix'
x[i, j] <- value

## S4 replacement method for signature 'worldArray,missing,missing,matrix'
x[i, j] <- value

## S4 method for signature 'agentMatrix,numeric,numeric,ANY'
x[i, j, ..., drop = FALSE]

## S4 method for signature 'agentMatrix,logical,missing,ANY'
x[i, j, ..., drop = TRUE]

## S4 method for signature 'agentMatrix,numeric,missing,ANY'
x[i, j, ..., drop = TRUE]

## S4 method for signature 'agentMatrix,missing,missing,missing'
x[i, j, ..., drop = FALSE]

## S4 method for signature 'agentMatrix,missing,character,ANY'
x[i, j, ..., drop = TRUE]

## S4 method for signature 'agentMatrix,numeric,character,ANY'
x[i, j, ..., drop = FALSE]

## S4 method for signature 'agentMatrix,missing,numeric,ANY'
```

```

x[i, j, ..., drop = FALSE]

## S4 replacement method for signature 'agentMatrix,numeric,numeric,numeric'
x[i, j] <- value

## S4 replacement method for signature 'agentMatrix,missing,numeric,numeric'
x[i, j] <- value

## S4 replacement method for signature 'agentMatrix,numeric,missing,numeric'
x[i, j] <- value

## S4 replacement method for signature 'agentMatrix,numeric,character,data.frame'
x[i, j] <- value

## S4 replacement method for signature 'agentMatrix,numeric,numeric,character'
x[i, j] <- value

## S4 replacement method for signature 'agentMatrix,missing,numeric,character'
x[i, j] <- value

## S4 replacement method for signature 'agentMatrix,missing,character,character'
x[i, j] <- value

## S4 replacement method for signature 'agentMatrix,numeric,character,character'
x[i, j] <- value

## S4 method for signature 'agentMatrix'
x$name

```

Arguments

x	A <code>agentMatrix</code> object from which to extract element(s) or in which to replace element(s).
i	Indices specifying elements to extract or replace.
j	see i.
...	other named arguments
drop	not implemented
value	Any R object
name	A literal character string or a <code>name()</code> (possibly backtick quoted).

Value

An `agentMatrix` when full row(s), full column(s) or element(s) at specific row(s) and column(s) is/are extracted.

Note

Extract methods for `agentMatrix` class will generally maintain the `agentMatrix` class. This means that there will still be coordinates, character columns represented as numerics etc. `$` is for extracting the raw columns and does not maintain the `agentMatrix` class. `[]` will extract all values, and result in a `data.frame` with the correct character and numeric columns.

```
[[,worldArray,ANY,missing-method
```

Subsetting and replacing for worldArray class

Description

Subsetting and replacing for `worldArray` class

Usage

```
## S4 method for signature 'worldArray,ANY,missing'
x[[i]]

## S4 replacement method for signature 'worldArray,ANY,missing'
x[[i]] <- value

## S4 method for signature 'worldArray'
x$name
```

Arguments

<code>x</code>	A <code>worldArray</code> object.
<code>i</code>	Index number or layer name specifying a subset of layer(s) from the <code>worldArray</code> .
<code>value</code>	A replacement <code>worldMatrix</code> layer for one of the current layers in the <code>worldArray</code> .
<code>name</code>	Layer name, normally without back ticks, unless has symbols.

Value

The replacement method returns the original object, but with updated elements. The accessor method extracts the entire layer.

Examples

```
w1 <- createWorld(minPxcor = 0, maxPxcor = 9, minPycor = 0, maxPycor = 9, data = runif(100))
w2 <- createWorld(0, 9, 0, 9, data = runif(100))
w3 <- createWorld(0, 9, 0, 9, data = runif(100) + 2) # add 2 so different range
a1 <- stackWorlds(w1, w2)
a1[[2]]
a1[[2]] <- w3
```

Index

.bboxCoords, 6
 .identifyGrobtToPlot, worldArray, .quickPlotGrobt-method ([, 128
 (numLayers.worldArray), 67
 ==, agentMatrix, character-method, 6
 ==, agentMatrix, numeric-method
 (==, agentMatrix, character-method),
 6
 [, 128
 [, agentMatrix, logical, missing, ANY-method
 ([, 128
 [, agentMatrix, missing, character, ANY-method
 ([, 128
 [, agentMatrix, missing, missing, missing-method
 ([, 128
 [, agentMatrix, missing, numeric, ANY-method
 ([, 128
 [, agentMatrix, numeric, character, ANY-method
 ([, 128
 [, agentMatrix, numeric, missing, ANY-method
 ([, 128
 [, agentMatrix, numeric, numeric, ANY-method
 ([, 128
 [, worldArray, missing, missing, ANY-method
 ([, 128
 [, worldArray, numeric, numeric, ANY-method
 ([, 128
 [, worldMatrix, missing, missing, ANY-method
 ([, 128
 [, worldMatrix, numeric, numeric, ANY-method
 ([, 128
 [<- ([, 128
 [<-, agentMatrix, missing, character, character-method
 ([, 128
 [<-, agentMatrix, missing, numeric, character-method
 ([, 128
 [<-, agentMatrix, missing, numeric, numeric-method
 ([, 128
 [<-, agentMatrix, numeric, character, character-method
 ([, 128
 [<-, agentMatrix, numeric, character, data.frame-method
 ([, 128
 [<-, agentMatrix, numeric, missing, numeric-method
 ([, 128
 [<-, agentMatrix, numeric, numeric, character-method
 ([, 128
 [<-, agentMatrix, numeric, numeric, numeric-method
 ([, 128
 [<-, worldArray, missing, missing, matrix-method
 ([, 128
 [<-, worldArray, numeric, numeric, matrix-method
 ([, 128
 [<-, worldMatrix, missing, missing, ANY-method
 ([, 128
 [<-, worldMatrix, numeric, numeric, ANY-method
 ([, 128
 [[, worldArray, ANY, missing-method, 131
 [[<-, worldArray, ANY, missing-method
 ([[, worldArray, ANY, missing-method),
 131
 \$ ([[, worldArray, ANY, missing-method),
 131
 \$, agentMatrix-method ([, 128
 \$, worldArray-method
 ([[, worldArray, ANY, missing-method),
 131
 agentMatrix, 7
 agentMatrix, matrix-method
 (agentMatrix), 7
 agentMatrix, missing-method
 (agentMatrix), 7
 agentMatrix-class, 8
 all (NLall), 55
 any (NLany), 56
 base::cbind(), 13
 bbox, 9
 bbox, agentMatrix-method (bbox), 9

- bbox, ANY-method (bbox), 9
- bbox, SpatExtent-method (bbox), 9
- bbox, worldNLR-method (bbox), 9
- bbox<- (bbox), 9
- bbox<-, agentMatrix, matrix-method (bbox), 9
- bk, 10
- bk, agentMatrix, numeric-method (bk), 10
- canMove, 12
- canMove, worldNLR, agentMatrix, numeric-method (canMove), 12
- cbind, 13
- cellFromPxcorPycor, 13
- cellFromPxcorPycor, worldNLR, numeric, numeric-method (cellFromPxcorPycor), 13
- clearPatches, 14
- clearPatches, worldArray-method (clearPatches), 14
- clearPatches, worldMatrix-method (clearPatches), 14
- coordinates(), 10, 26
- coordinates, agentMatrix-method, 15
- count (NLcount), 57
- createOTurtles, 16
- createOTurtles, numeric-method (createOTurtles), 16
- createTurtles, 17
- createTurtles, numeric, matrix, missing-method (createTurtles), 17
- createTurtles, numeric, missing, ANY-method (createTurtles), 17
- createWorld, 18
- createWorld, missing, missing, missing, missing, missing-method (createWorld), 18
- createWorld, numeric, numeric, numeric, numeric, ANY-method, agentMatrix, numeric-method (createWorld), 18
- die, 20
- die, agentMatrix, numeric-method (die), 20
- diffuse, 21
- diffuse, worldArray, character, numeric, numeric-method (diffuse), 21
- diffuse, worldMatrix, missing, numeric, numeric-method (diffuse), 21
- dist (NLdist), 58
- downhill, 22
- downhill, worldArray, character, agentMatrix, numeric-method (downhill), 22
- downhill, worldMatrix, missing, agentMatrix, numeric-method (downhill), 22
- dx, 24
- dx, agentMatrix, missing-method (dx), 24
- dx, agentMatrix, numeric-method (dx), 24
- dy, 25
- dy, agentMatrix, missing-method (dy), 25
- dy, agentMatrix, numeric-method (dy), 25
- extent(), 10, 15
- extent, agentMatrix-method (extent, worldNLR-method), 26
- extent, worldNLR-method, 26
- face, 27
- face, agentMatrix, matrix-method (face), 27
- fd, 28
- fd, agentMatrix, numeric-method (fd), 28
- hatch, 30
- hatch, agentMatrix, numeric, numeric-method (hatch), 30
- head (show, agentMatrix-method), 96
- home, 31
- home, worldNLR, agentMatrix, character-method (home), 31
- inCone, 32
- inCone, agentMatrix, numeric, numeric, matrix-method (inCone), 32
- initialize, agentMatrix-method, 34
- inRadius, 35
- inRadius, matrix, numeric, matrix-method (inRadius), 35
- inspect, 36
- inspect, agentMatrix, numeric-method (inspect), 36
- isNLclass, 37
- isNLclass, matrix, character-method (isNLclass), 37
- layerNames, worldArray-method (numLayers.worldArray), 67
- layoutCircle, 39
- layoutCircle, worldNLR, agentMatrix, numeric-method (layoutCircle), 39
- left, 40
- left, agentMatrix, numeric-method (left), 40

- length, agentMatrix-method
 - (show, agentMatrix-method), 96
- maxNof, 41
- maxNof, agentMatrix, numeric, missing, character-method
 - (maxNof), 41
- maxNof, matrix, numeric, worldArray, character-method
 - (maxNof), 41
- maxNof, matrix, numeric, worldMatrix, missing-method
 - (maxNof), 41
- maxOneOf, 43
- maxOneOf, agentMatrix, missing, character-method
 - (maxOneOf), 43
- maxOneOf, matrix, worldArray, character-method
 - (maxOneOf), 43
- maxOneOf, matrix, worldMatrix, missing-method
 - (maxOneOf), 43
- maxPxcor, 45
- maxPxcor, worldNLR-method (maxPxcor), 45
- maxPycor, 46
- maxPycor, worldNLR-method (maxPycor), 46
- minNof, 47
- minNof, agentMatrix, numeric, missing, character-method
 - (minNof), 47
- minNof, matrix, numeric, worldArray, character-method
 - (minNof), 47
- minNof, matrix, numeric, worldMatrix, missing-method
 - (minNof), 47
- minOneOf, 48
- minOneOf, agentMatrix, missing, character-method
 - (minOneOf), 48
- minOneOf, matrix, worldArray, character-method
 - (minOneOf), 48
- minOneOf, matrix, worldMatrix, missing-method
 - (minOneOf), 48
- minPxcor, 50
- minPxcor, worldNLR-method (minPxcor), 50
- minPycor, 51
- minPycor, worldNLR-method (minPycor), 51
- moveTo, 52
- moveTo, agentMatrix, matrix-method
 - (moveTo), 52
- name(), 130
- neighbors, 53
- neighbors, worldNLR, matrix, numeric-method
 - (neighbors), 53
- NetLogoR (NetLogoR-package), 5
- NetLogoR-package, 5
- NLall, 55
- NLall, agentMatrix, missing, character-method
 - (NLall), 55
- NLall, matrix, worldArray, character-method
 - (NLall), 55
- NLall, matrix, worldMatrix, missing-method
 - (NLall), 55
- NLany, 56
- NLany, matrix-method (NLany), 56
- NLcount, 57
- NLcount, matrix-method (NLcount), 57
- NLdist, 58
- NLdist, matrix, matrix-method (NLdist), 58
- NLset, 60
- NLset, missing, agentMatrix, agentMatrix, character-method
 - (NLset), 60
- NLset, worldArray, missing, matrix, character-method
 - (NLset), 60
- NLset, worldMatrix, missing, matrix, missing-method
 - (NLset), 60
- NLwith, 62
- NLwith, agentMatrix, missing, character-method
 - (NLwith), 62
- NLwith, matrix, worldArray, character-method
 - (NLwith), 62
- NLwith, matrix, worldMatrix, missing-method
 - (NLwith), 62
- NLworldIndex, 63
- NLworldIndex, worldMatrix, numeric-method
 - (NLworldIndex), 63
- nOf, 64
- nOf, matrix, numeric-method (nOf), 64
- noPatches, 66
- noTurtles, 67
- nrow, agentMatrix-method
 - (show, agentMatrix-method), 96
- numLayers.worldArray, 67
- numLayers.worldMatrix
 - (numLayers.worldArray), 67
- of, 68
- of, missing, agentMatrix, character-method
 - (of), 68
- of, worldArray, matrix, character-method
 - (of), 68
- of, worldMatrix, matrix, missing-method
 - (of), 68
- oneOf, 70
- oneOf, matrix-method (oneOf), 70

- other, 71
- other, matrix, matrix-method (other), 71
- patch, 73
- patch, worldNLR, numeric, numeric-method (patch), 73
- patchAhead, 74
- patchAhead, worldNLR, agentMatrix, numeric-method (patchAhead), 74
- patchAt, 76
- patchAt, worldNLR, matrix, numeric, numeric-method (patchAt), 76
- patchDistDir, 77
- patchDistDir, worldNLR, matrix, numeric, numeric-method (patchDistDir), 77
- patches, 78
- patches, worldNLR-method (patches), 78
- patchHere, 79
- patchHere, worldNLR, agentMatrix-method (patchHere), 79
- patchLeft, 80
- patchLeft, worldNLR, agentMatrix, numeric, numeric-method (patchLeft), 80
- patchRight, 82
- patchRight, worldNLR, agentMatrix, numeric, numeric-method (patchRight), 82
- patchSet, 83
- patchSet, matrix-method (patchSet), 83
- pExist, 84
- pExist, worldNLR, numeric, numeric-method (pExist), 84
- plot.agentMatrix, 85
- plot.worldArray (plot.agentMatrix), 85
- plot.worldMatrix (plot.agentMatrix), 85
- points.agentMatrix (plot.agentMatrix), 85
- PxcorPycorFromCell, 86
- PxcorPycorFromCell, worldNLR, numeric-method (PxcorPycorFromCell), 86
- randomPxcor, 87
- randomPxcor, worldNLR, numeric-method (randomPxcor), 87
- randomPycor, 88
- randomPycor, worldNLR, numeric-method (randomPycor), 88
- randomXcor, 89
- randomXcor, worldNLR, numeric-method (randomXcor), 89
- randomXYcor, 90
- randomXYcor, worldNLR, numeric-method (randomXYcor), 90
- randomYcor, 91
- randomYcor, worldNLR, numeric-method (randomYcor), 91
- raster2world, 92
- raster2world, ANY-method (raster2world), 92
- rbind (cbind), 13
- right, 93
- right, agentMatrix, numeric-method (right), 93
- set (NLset), 60
- setXY, 94
- setXY, agentMatrix, numeric, numeric, missing, ANY-method (setXY), 94
- setXY, agentMatrix, numeric, numeric, worldNLR, logical-method (setXY), 94
- sf2turtles, 95
- sf2turtles, ANY-method (sf2turtles), 95
- show, agentMatrix-method, 96
- show, worldArray-method, 97
- show, worldMatrix-method (show, worldArray-method), 97
- sortOn, 97
- sortOn, agentMatrix, missing, character-method (sortOn), 97
- sortOn, matrix, worldArray, character-method (sortOn), 97
- sortOn, matrix, worldMatrix, missing-method (sortOn), 97
- spatRast2world, 99
- spatRast2world, SpatRaster-method (spatRast2world), 99
- spdf2turtles, 100
- spdf2turtles, ANY-method (spdf2turtles), 100
- sprout, 101
- sprout, numeric, matrix-method (sprout), 101
- stackWorlds, 103
- stackWorlds, worldMatrix-method (stackWorlds), 103
- subHeadings, 104
- subHeadings, agentMatrix, agentMatrix-method (subHeadings), 104

- subHeadings,agentMatrix,numeric-method
(subHeadings), 104
- subHeadings,numeric,agentMatrix-method
(subHeadings), 104
- subHeadings,numeric,numeric-method
(subHeadings), 104
- tail (show,agentMatrix-method), 96
- tExist, 105
- tExist,agentMatrix,numeric,character-method
(tExist), 105
- tExist,agentMatrix,numeric,missing-method
(tExist), 105
- towards, 106
- towards,matrix,matrix-method (towards),
106
- turtle, 108
- turtle,agentMatrix,numeric,character-method
(turtle), 108
- turtle,agentMatrix,numeric,missing-method
(turtle), 108
- turtles2sf, 109
- turtles2sf,ANY-method (turtles2sf), 109
- turtles2spdf, 110
- turtles2spdf,agentMatrix-method
(turtles2spdf), 110
- turtlesAt, 111
- turtlesAt,worldNLR,agentMatrix,matrix,numeric,numeric,character-method
(turtlesAt), 111
- turtlesAt,worldNLR,agentMatrix,matrix,numeric,numeric,missing-method
(turtlesAt), 111
- turtleSet, 112
- turtleSet,agentMatrix-method
(turtleSet), 112
- turtlesOn, 113
- turtlesOn,worldNLR,agentMatrix,matrix,character-method
(turtlesOn), 113
- turtlesOn,worldNLR,agentMatrix,matrix,missing-method
(turtlesOn), 113
- turtlesOwn, 115
- turtlesOwn,agentMatrix,character,ANY-method
(turtlesOwn), 115
- turtlesOwn,agentMatrix,character,missing-method
(turtlesOwn), 115
- updateList, 116
- updateList,list,list-method
(updateList), 116
- updateList,list,NULL-method
(updateList), 116
- updateList,NULL,list-method
(updateList), 116
- updateList,NULL,NULL-method
(updateList), 116
- uphill, 117
- uphill,worldArray,character,agentMatrix,numeric-method
(uphill), 117
- uphill,worldMatrix,missing,agentMatrix,numeric-method
(uphill), 117
- with (NLwith), 62
- withMax, 119
- withMax,agentMatrix,missing,character-method
(withMax), 119
- withMax,matrix,worldArray,character-method
(withMax), 119
- withMax,matrix,worldMatrix,missing-method
(withMax), 119
- withMin, 120
- withMin,agentMatrix,missing,character-method
(withMin), 120
- withMin,matrix,worldArray,character-method
(withMin), 120
- withMin,matrix,worldMatrix,missing-method
(withMin), 120
- world2raster, 122
- world2raster,numeric,character-method
world2raster,worldArray-method
(world2raster), 122
- world2raster,numeric,missing-method
world2raster,worldMatrix-method
(world2raster), 122
- world2spatRast, 123
- world2spatRast,worldArray-method
(world2spatRast), 123
- world2spatRast,worldMatrix-method
(world2spatRast), 123
- worldArray (worldArray-class), 124
- worldArray(), 126
- worldArray-class, 124
- worldHeight, 124
- worldHeight,worldNLR-method
(worldHeight), 124
- worldMatrix (worldMatrix-class), 125
- worldMatrix(), 124
- worldMatrix-class, 125
- worldNLR (worldNLR-class), 126
- worldNLR-class, 126
- worldWidth, 126

worldWidth, worldNLR-method
 (worldWidth), [126](#)
wrap, [127](#)
wrap, ANY-method (wrap), [127](#)