

Package ‘QuClu’

October 12, 2022

Type Package

Title Quantile-Based Clustering Algorithms

Version 1.0.1

Date 2022-05-26

Author Christian Hennig, Cinzia Viroli and Laura Anderlucci

Maintainer Laura Anderlucci <laura.anderlucci@unibo.it>

Description Various quantile-based clustering algorithms: algorithm CU (Common theta and Unscaled variables), algorithm CS (Common theta and Scaled variables through lambda_j), algorithm VU (Variable-wise theta_j and Unscaled variables) and algorithm VW (Variable-wise theta_j and Scaled variables through lambda_j). Hennig, C., Viroli, C., Anderlucci, L. (2019) "Quantile-based clustering." Electronic Journal of Statistics. 13 (2) 4849 - 4883 <doi:10.1214/19-EJS1640>.

License GPL-2 | GPL-3

Encoding UTF-8

RoxygenNote 7.2.0

Imports stats

NeedsCompilation no

Repository CRAN

Date/Publication 2022-05-26 16:40:02 UTC

R topics documented:

alg.CS	2
alg.CU	3
alg.VS	4
alg.VU	5
kquantiles	7

Index	9
--------------	----------

alg.CS

*CS quantile-based clustering algorithm***Description**

This function allows to run the CS (Common theta and Scaled variables through lambda_j) version of the quantile-based clustering algorithm.

Usage

```
alg.CS(data, k = 2, eps = 1e-08, it.max = 100, B = 30, lambda = rep(1, p))
```

Arguments

data	A numeric vector, matrix, or data frame of observations. Categorical variables are not allowed. If a matrix or data frame, rows correspond to observations and columns correspond to variables.
k	The number of clusters. The default is k=2.
eps	The relative convergence tolerances for objective function. The default is set to 1e-8.
it.max	A number that gives integer limits on the number of the CS algorithm iterations. By default, it is set to 100.
B	The number of times the initialization step is repeated; the default is 30.
lambda	The initial value for lambda _j , the variable scaling parameters. By default, lambdas are set to be equal to 1.

Details

Algorithm CS: Common theta and Scaled variables via lambda_j. A common value of theta is taken but variables are scaled through lambda_j.

Value

A list containing the following elements:

c1	A vector whose [i]th entry is classification of observation i in the test data.
qq	A matrix whose [h,j]th entry is the theta-quantile of variable j in cluster h.
theta	The estimated common theta.
Vseq	The values of the objective function V at each step of the algorithm.
V	The final value of the objective function V.
lambda	A vector containing the scaling factor for each variable.

References

Hennig, C., Viroli, C., Anderlucci, L. (2019) "Quantile-based clustering" *Electronic Journal of Statistics*, 13 (2) 4849-4883 <doi:10.1214/19-EJS1640>

Examples

```

out <- alg.CS(iris[,-5],k=3)
out$theta
out$qq
out$lambda

table(out$c1)

```

alg.CU

*CU quantile-based clustering algorithm***Description**

This function allows to run the CU (Common theta and Unscaled variables) version of the quantile-based clustering algorithm.

Usage

```
alg.CU(data, k = 2, eps = 1e-08, it.max = 100, B = 30)
```

Arguments

data	A numeric vector, matrix, or data frame of observations. Categorical variables are not allowed. If a matrix or data frame, rows correspond to observations and columns correspond to variables.
k	The number of clusters. The default is k=2.
eps	The relative convergence tolerances for objective function. The default is set to 1e-8.
it.max	A number that gives integer limits on the number of the CU algorithm iterations. By default, it is set to 100.
B	The number of times the initialization step is repeated; the default is 30.

Details

Algorithm CU: Common theta and Unscaled variables. A common value of theta for all the variables is assumed. This strategy directly generalizes the conventional k-means to other moments of the distribution to better accommodate skewness in the data.

Value

A list containing the following elements:

method	The chosen parameterization, CU, Common theta and Unscaled variables
k	The number of clusters.
c1	A vector whose [i]th entry is classification of observation i in the test data.
qq	A matrix whose [h,j]th entry is the theta-quantile of variable j in cluster h.

theta	A vector whose [j]th entry is the percentile theta for variable j.
Vseq	The values of the objective function V at each step of the algorithm.
V	The final value of the objective function V.
lambda	A vector containing the scaling factor for each variable.

References

Hennig, C., Viroli, C., Anderlucci, L. (2019) "Quantile-based clustering" *Electronic Journal of Statistics*, 13 (2) 4849-4883 <doi:10.1214/19-EJS1640>

Examples

```
out <- alg.CU(iris[,-5],k=3)
out$theta
out$qq

table(out$c1)
```

alg.VS

VS quantile-based clustering algorithm

Description

This function allows to run the VS (Variable-wise theta_j and Scaled variables through lambda_j) version of the quantile-based clustering algorithm.

Usage

```
alg.VS(data, k = 2, eps = 1e-08, it.max = 100, B = 30, lambda = rep(1, p))
```

Arguments

data	A numeric vector, matrix, or data frame of observations. Categorical variables are not allowed. If a matrix or data frame, rows correspond to observations and columns correspond to variables.
k	The number of clusters. The default is k=2.
eps	The relative convergence tolerances for objective function. The default is set to 1e-8.
it.max	A number that gives integer limits on the number of the VS algorithm iterations. By default, it is set to 100.
B	The number of times the initialization step is repeated; the default is 30.
lambda	The initial value for lambda _j , the variable scaling parameters. By default, lambdas are set to be equal to 1.

Details

Algorithm VS: Variable-wise θ_j and Scaled variables via λ_j . A different θ for every single variable is estimated to better accommodate different degrees of skewness in the data and variables are scaled through λ_j .

Value

A list containing the following elements:

method	The chosen parameterization, VS, Variable-wise θ_j and Scaled variables
k	The number of clusters.
cl	A vector whose [i]th entry is classification of observation i in the test data.
qq	A matrix whose [h,j]th entry is the θ -quantile of variable j in cluster h.
theta	A vector whose [j]th entry is the percentile θ for variable j.
Vseq	The values of the objective function V at each step of the algorithm.
V	The final value of the objective function V.
lambda	A vector containing the scaling factor for each variable.

References

Hennig, C., Viroli, C., Anderlucci, L. (2019) "Quantile-based clustering" *Electronic Journal of Statistics*, 13 (2) 4849-4883 <doi:10.1214/19-EJS1640>

Examples

```
out <- alg.VS(iris[,-5],k=3)
out$theta
out$qq
out$lambda

table(out$cl)
```

alg.VU

VU quantile-based clustering algorithm

Description

This function allows to run the VU (Variable-wise θ_j and Unscaled variables) version of the quantile-based clustering algorithm.

Usage

```
alg.VU(data, k = 2, eps = 1e-08, it.max = 100, B = 30)
```

Arguments

data	A numeric vector, matrix, or data frame of observations. Categorical variables are not allowed. If a matrix or data frame, rows correspond to observations and columns correspond to variables.
k	The number of clusters. The default is k=2.
eps	The relative convergence tolerances for objective function. The default is set to 1e-8.
it.max	A number that gives integer limits on the number of the VU algorithm iterations. By default, it is set to 100.
B	The number of times the initialization step is repeated; the default is 30.

Details

Algorithm VU: Variable-wise theta_j and Unscaled variables. A different theta for every single variable is estimated to better accomodate different degree of skeweness in the data.

Value

A list containing the following elements:

method	The chosen parameterization, VU, Variable-wise theta _j and Unscaled variables
k	The number of clusters.
c1	A vector whose [i]th entry is classification of observation i in the test data.
qq	A matrix whose [h,j]th entry is the theta-quantile of variable j in cluster h.
theta	A vector whose [j]th entry is the percentile theta for variable j.
Vseq	The values of the objective function V at each step of the algorithm.
V	The final value of the objective function V.
lambda	A vector containing the scaling factor for each variable.

References

Hennig, C., Viroli, C., Anderlucci, L. (2019) "Quantile-based clustering" *Electronic Journal of Statistics*, 13 (2) 4849-4883 <doi:10.1214/19-EJS1640>

Examples

```
out <- alg.VU(iris[,-5],k=3)
out$theta
out$qq

table(out$c1)
```

kquantiles

*Quantile-based clustering algorithm***Description**

This function allows to run the k -quantile clustering algorithm, allowing for different constraints: common theta and unscaled variables (CU), common theta and scaled variables (CS), variable-wise theta and unscaled variables (VU) and the variable-wise theta and scaled variables (VS).

Usage

```
kquantiles(
  data,
  k = 2,
  method = "VS",
  eps = 1e-08,
  it.max = 100,
  B = 30,
  lambda = NULL
)
```

Arguments

data	A numeric vector, matrix, or data frame of observations. Categorical variables are not allowed. If a matrix or data frame, rows correspond to observations and columns correspond to variables.
k	The number of clusters. The default is $k=2$.
method	The chosen constrained method. The options are: CU (Common theta and Unscaled variables), CS (Common theta and Scaled variables), VU (Variable-wise theta and Unscaled variables), VS (Variable-wise theta and Scaled variables). The default is the unconstrained method, VS.
eps	The relative convergence tolerances for objective function. The default is set to $1e-8$.
it.max	A number that gives integer limits on the number of the algorithm iterations. By default, it is set to 100.
B	The number of times the initialization step is repeated; the default is 30.
lambda	The initial value for λ_j , the variable scaling parameters, for models CS and VS. By default, λ s are set to be equal to 1.

Details

Algorithm CU: Common theta and Unscaled variables. A common value of theta for all the variables is assumed. Algorithm CS: Common theta and Scaled variables via λ_j . A common value of theta is taken but variables are scaled through λ_j . Algorithm VU: Variable-wise theta and Unscaled variables. A different theta for every single variable is estimated to better

accomodate different degree of skeweness in the data. Algorithm VS: Variable-wise θ_j and Scaled variables via λ_j . A different θ for every single variable is estimated to better accomodate different degree of skeweness in the data and variables are scaled through λ_j .

Value

A list containing the following elements:

method	The chosen parameterization.
k	The number of clusters.
c1	A vector whose [i]th entry is classification of observation i in the test data.
qq	A matrix whose [h,j]th entry is the theta-quantile of variable j in cluster h.
theta	A vector whose [j]th entry is the percentile theta for variable j.
Vseq	The values of the objective function V at each step of the algorithm.
V	The final value of the objective function V.
lambda	A vector containing the scaling factor for each variable.

References

Hennig, C., Viroli, C., Anderlucchi, L. (2019) "Quantile-based clustering" *Electronic Journal of Statistics*, 13 (2) 4849-4883 <doi:10.1214/19-EJS1640>

Examples

```
out <- kquantiles(iris[, -5], k=3, method="VS")
out$theta
out$qq

table(out$c1)
```


Index

alg.CS, [2](#)
alg.CU, [3](#)
alg.VS, [4](#)
alg.VU, [5](#)

kquantiles, [7](#)