

# Package ‘pagenum’

July 17, 2024

**Type** Package

**Title** Put Page Numbers on Graphics

**Version** 1.3

**Description** A simple way to add page numbers to base/ggplot/lattice graphics.

**License** MIT + file LICENSE

**URL** <https://kwstat.github.io/pagenum/>,  
<http://kwstat.github.io/pagenum/>

**BugReports** <https://github.com/kwstat/pagenum/issues>

**Imports** grid

**Suggests** ggplot2, knitr, lattice, rmarkdown, testthat

**VignetteBuilder** knitr

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**NeedsCompilation** no

**Author** Kevin Wright [aut, cre, cph] (<<https://orcid.org/0000-0002-0617-8673>>)

**Maintainer** Kevin Wright <kw.stat@gmail.com>

**Repository** CRAN

**Date/Publication** 2024-07-17 14:40:07 UTC

## Contents

pagenum . . . . .	2
<b>Index</b>	<b>4</b>

---

pagenum

*Put Page Numbers on Graphics*

---

## Description

Put Page Numbers on Graphics

## Usage

```
pagenum(
  num,
  text = "Page",
  date = FALSE,
  date.format,
  x = 0.03,
  y = 0.03,
  just = c("left", "bottom"),
  col = "gray50",
  cex = 0.75
)

setPagenum(num = 1)

getPagenum()
```

## Arguments

num	The number to put on the page. If no number is given, the value of <code>options()\$pagenum</code> is used.
text	The text to use in front of the page number.
date	If FALSE (default), do not add a date below the page number.
date.format	The format to use for the date.
x	Horizontal position of timestamp, in [0,1]. Default .03
y	Vertical position of timestamp, in [0,1]. Default .03
just	Justification. Default <code>c('left','bottom')</code>
col	Color to use for the text.
cex	Character expansion. Default 0.75.

## Details

Use `setPagenum` to create a global variable with the page number.

If `pagenum()` is called without an argument, the value of `options()$pagenum` is used to determine the page number.

Each time `pagenum()` is called, `options()$pagenum` is automatically incremented by 1.

**Value**

Returns the value stored by the global variable.

Returns the value of `options()$pagenum`

**Author(s)**

Kevin Wright

**References**

Mark Heckmann (2009). R: Good practice - adding footnotes to graphics. <https://ryouready.wordpress.com/2009/02/17/r-good-practice-adding-footnotes-to-graphics/>

**Examples**

```
# base graphics
setPagenum(1)
plot(Sepal.Length~Sepal.Width, data=iris, col=Species, pch=19)
pagenum()

# lattice, date
setPagenum(getPagenum()+1) # Manual increment
require(lattice)
xyplot(Sepal.Length~Sepal.Width, data=iris, groups=Species)
pagenum(date=TRUE)

# ggplot2, top-right
require(ggplot2)
ggplot(iris, aes(x=Sepal.Width, y=Sepal.Length,
  color=Species)) + geom_point() + theme_classic()
pagenum(text="ABC Corp - ", date=TRUE,
x=.95, y=.95, just=c('right','top'))

# multiple figures, 'draft' watermark
op = par(mfrow=c(1,2))
plot(Sepal.Length ~ Sepal.Width, data=iris, col=Species, pch=19)
plot(Petal.Length ~ Petal.Width, data=iris, col=Species, pch=19)
par(op)
pagenum(num="", text="Figures 2a, 2b")
pagenum(num="", text="Draft",
  x=.5, y=.95, just=c('center','top'),
  col="wheat", cex=3)
```

# Index

`getPagenum (pagenum)`, [2](#)

`pagenum`, [2](#)

`setPagenum (pagenum)`, [2](#)