

# Package ‘IVYplot’

October 12, 2022

**Type** Package

**Title** Produces an IVY Plot (Similar to Dot Plot) with/without Frequencies

**Version** 0.1.0

**Author** Tri Ha Minh Nguyen  
Jyotirmoy Sarkar  
Mamunur Rashid

**Maintainer** Tri Ha Minh Nguyen <tringuyen\_2023@depauw.edu>

**Description** For a single variable, the IVY Plot stacks tied values in the form of leaflets. Five leaflets join to form a leaf. Leaves are stacked vertically. At most twenty leaves are shown; For high frequency, each leaflet may represent more than one observation with multiplicity declared in the subtitle.

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.1

**Imports** plyr

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2021-02-16 09:20:05 UTC

## R topics documented:

IVYplot . . . . .	2
Index	3

---

IVYplot

*IVY Plot*

---

### Description

The function will draw an IVY Plot (similar to Dot Plot) with/without frequencies

### Usage

```
IVYplot(  
  data0,  
  showFreq = TRUE,  
  freqSize = 1,  
  multiple = NULL,  
  delta = 1,  
  limA = NULL,  
  limB = NULL  
)
```

### Arguments

<code>data0</code>	The data vector the user will input
<code>showFreq</code>	Option for the user to show the frequencies at each value or not. TRUE = show/FALSE = do not show. Default is TRUE
<code>freqSize</code>	The font size of the frequencies if the user wants to show the frequencies. Default is 1.0
<code>multiple</code>	The maximum number of observations each leaflet represents. Default is calculated to ensure at most 20 leaves at each value
<code>delta</code>	The gap between successive values. Default is 1
<code>limA</code>	The lower limit on the horizontal axis. Default is minimum of the values
<code>limB</code>	The upper limit on the horizontal axis. Default is maximum of the values

### Value

Gives you an IVY plot

### Examples

```
IVYplot(data0 = c(rpois(500, 10), 30, 30, 30), freqSize = 1.5, multiple = 3)
```

# Index

IVYplot, [2](#)