

# Package ‘regressorR’

November 15, 2024

**Title** Regression Data Analysis System

**Type** Package

**Version** 4.0.3

**Depends** R (>= 4.1)

**Imports** DT (>= 0.27), gbm (>= 2.2.2), pls (>= 2.8-1), dplyr (>= 1.1.0), psych (>= 2.4.6), shiny (>= 1.7.4), golem (>= 0.3.5), rlang (>= 1.0.6), glmnet (>= 4.1-6), loadeR (>= 1.1.3), shinyjs (>= 2.1.0), traineR (>= 2.0.4), shinyAce (>= 0.4.2), echarts4r (>= 0.4.4), htmltools (>= 0.5.4), rpart.plot (>= 3.1.1), shinydashboard (>= 0.7.2), shinycustomloader (>= 0.9.0), shinydashboardPlus (>= 2.0.3)

**Description** Perform a supervised data analysis on a database through a 'shiny' graphical interface. It includes methods such as linear regression, penalized regression, k-nearest neighbors, decision trees, ada boosting, extreme gradient boosting, random forest, neural networks, deep learning and support vector machines.

**License** GPL (>= 2)

**Encoding** UTF-8

**URL** <https://promidat.website/>

**BugReports** <https://github.com/PROMiDAT/predictor/issues>

**RoxygenNote** 7.3.2

**NeedsCompilation** no

**Author** Oldemar Rodriguez [aut, cre],  
Andres Navarro D. [ctb, prg],  
Diego Jimenez A. [ctb, prg],  
Ariel Arroyo S. [ctb, prg],  
Joseline Quiros M. [ctb, prg]

**Maintainer** Oldemar Rodriguez <oldemar.rodriguez@ucr.ac.cr>

**Repository** CRAN

**Date/Publication** 2024-11-15 20:20:02 UTC

## Contents

as_string_c . . . . .	2
e.rdim.rmse . . . . .	3
e.rdim.vare . . . . .	3
exe . . . . .	4
extract_code . . . . .	4
e_boost_evol_error . . . . .	5
e_boost_importance . . . . .	6
e_coeff_lambda . . . . .	6
e_JS . . . . .	7
e_posib_lambda . . . . .	8
e_rf_error . . . . .	8
e_rndf_importance . . . . .	9
general.indices . . . . .	10
plot_real_prediction . . . . .	10
regressoR . . . . .	11
run_app . . . . .	12
summary_indices . . . . .	12
<b>Index</b>	<b>13</b>

---

as_string_c	<i>as_string_c</i>
-------------	--------------------

---

## Description

creates a string representative of a vector

## Usage

```
as_string_c(vect, quote = TRUE)
```

## Arguments

vect	a vector with values
quote	a logical value. If TRUE, the values on the vector will be surrounded by quotes.

## Examples

```
as_string_c(c("A", "B", "C"))
as_string_c(c(5, 6, 7))
as_string_c(c(5, 6, 7), quote = FALSE)
as_string_c(iris$Species)
```

---

`e.rdim.rmse`*e.rdim.rmse*

---

**Description**

graph the root mean square error of cross validation according to components used.

**Usage**

```
e.rdim.rmse(modelo, ncomp, titles = c("RMSE", "Componente"))
```

**Arguments**

<code>modelo</code>	a dimension reduction model.
<code>ncomp</code>	the optimum number of components.
<code>titles</code>	labels on the chart

**Value**

echarts4r plot

**Author(s)**

Diego Jimenez <diego.jimenez@promidat.com>

---

`e.rdim.vare`*plot\_pred\_rd*

---

**Description**

graph of variance explained in the predictors according to components used.

**Usage**

```
e.rdim.vare(modelo, ncomp, titles = c("Varianza Explicada", "Componente"))
```

**Arguments**

<code>modelo</code>	a dimension reduction model.
<code>ncomp</code>	the optimum number of components.
<code>titles</code>	labels on the chart

**Value**

echarts4r plot

**Author(s)**

Ariel Arroyo <luis.ariel.arroyo@promidat.com>

---

exe	<i>exe</i>
-----	------------

---

**Description**

concat and execute a text in R.

**Usage**

```
exe(..., envir = parent.frame())
```

**Arguments**

...	one or more texts to be concatenated and executed.
envir	the environment in which expr is to be evaluated.

**Value**

the result of the execute.

**Examples**

```
exe("5+5")  
exe("5", "+", "5")  
exe("plot(iris$Species)")
```

---

extract_code	<i>extract_code</i>
--------------	---------------------

---

**Description**

gets the code of a function in text form.

**Usage**

```
extract_code(funcion, envir = parent.frame())
```

**Arguments**

funcion	the name of the function to be extracted.
envir	the environment in which expr is to be evaluated.

### Examples

```
extract_code("cat")
extract_code("plot")

parse(text = extract_code("plot"))
```

---

e\_boost\_evol\_error      *Error Evolution*

---

### Description

Error Evolution

### Usage

```
e_boost_evol_error(modelo, label = "Iterations")
```

### Arguments

modelo            a adabag model.  
label             a label plot.

### Value

echarts4r plot

### Author(s)

Joseline Quiros <joseline.quiros@promidat.com>

### Examples

```
model <- traineR::train.gbm(Sepal.Length~., data = iris,
  distribution = "gaussian", n.trees = 5, shrinkage = 0.01)
e_boost_evol_error(model, iris)
```

---

e\_boost\_importance      *Var importance Adabag*

---

**Description**

Var importance Adabag

**Usage**

```
e_boost_importance(modelo)
```

**Arguments**

modelo                  a adabag model.

**Value**

echarts4r plot

**Author(s)**

Joseline Quiros <joseline.quiros@promidat.com>

**Examples**

```
model <- trainR::train.gbm(Sepal.Length~., data = iris,
  distribution = "gaussian", n.trees = 5, shrinkage = 0.01)
e_boost_importance(model)
```

---

e\_coeff\_lambda              *Coefficients and lambda*

---

**Description**

Plot the coefficients and selected lambda of a glmnet model.

**Usage**

```
e_coeff_lambda(model, sel.lambda = NULL, label = "Log Lambda")
```

**Arguments**

model                    a glmnet model.

sel.lambda              the selected lambda.

label                    a character specifying the title to use on selected lambda tooltip.

**Value**

echarts4r plot

**Author(s)**

Joseline Quiros <joseline.quiros@promidat.com>

**Examples**

```
x <- model.matrix(Sepal.Length ~ ., iris)[, -1]
y <- iris$Sepal.Length
modelo <- glmnet::cv.glmnet(x, y, standardize = TRUE, alpha = 1, family = "gaussian")
e_coeff_lambda(modelo, log(modelo$lambda[1]))
```

---

e\_JS

*Eval character vectors to JS code*

---

**Description**

Eval character vectors to JS code

**Usage**

```
e_JS(...)
```

**Arguments**

... character vectors to evaluate

**Author(s)**

Joseline Quiros <joseline.quiros@promidat.com>

**Examples**

```
e_JS('5 * 3')
```

---

e_posib_lambda	<i>Possible lambda</i>
----------------	------------------------

---

**Description**

Possible lambda

**Usage**

```
e_posib_lambda(  
  cv.glm,  
  labels = c("Valor Superior", "Valor Inferior", "lambda")  
)
```

**Arguments**

cv.glm            a cv.glmnet model.  
labels            a character vector of length 3 specifying the titles to use on legend.

**Value**

echarts4r plot

**Author(s)**

Joseline Quiros <joseline.quiros@promidat.com>

**Examples**

```
x            <- model.matrix(Species~., iris)[, -1]  
y            <- iris[, 'Species']  
cv.glm      <- glmnet::cv.glmnet(x, y, standardize = TRUE, alpha = 1, family = 'multinomial')  
e_posib_lambda(cv.glm)
```

---

e_rf_error	<i>Error Evolution</i>
------------	------------------------

---

**Description**

Error Evolution

**Usage**

```
e_rf_error(modelo, label = "Trees")
```



**Arguments**

modelo            a random forest model.  
label             a label plot.

**Value**

echarts4r plot

**Author(s)**

Joseline Quiros <joseline.quiros@promidat.com>

**Examples**

```
model <- traineR::train.randomForest(Sepal.Length~., iris, mtry = 2, ntree = 20)  
e_rf_error(model, "Trees")
```

---

*e\_rndf\_importance*            *Var importance Random Forest*

---

**Description**

Var importance Random Forest

**Usage**

```
e_rndf_importance(modelo, error = "X.IncMSE")
```

**Arguments**

modelo            a random forest model.  
error             a character specifying the type of importance.

**Value**

echarts4r plot

**Author(s)**

Joseline Quiros <joseline.quiros@promidat.com>

**Examples**

```
model <- traineR::train.randomForest(Species~., iris, mtry = 2, ntree = 20)  
e_rndf_importance(model)
```

---

general.indices      *general.indices*

---

**Description**

calculates indices to measure accuracy of a model.  
calculates indices to measure accuracy of a model.

**Usage**

```
general.indices(real, prediccion)
general.indices(real, prediccion)
```

**Arguments**

real                  the real values in training-testing.  
prediccion            the prediction values in training-testing.

**Value**

a list with the Correlation, Relative Error, Mean Absolute Error and Root Mean Square Error.  
a list with the Correlation, Relative Error, Mean Absolute Error and Root Mean Square Error.

**Examples**

```
real <- rnorm(45)
prediction <- rnorm(45)
model <- "KNN"
general.indices(real, prediction)

real <- rnorm(45)
prediction <- rnorm(45)
model <- "KNN"
general.indices(real, prediction)
```

---

plot\_real\_prediction      *plot\_real\_prediction*

---

**Description**

scatter plot between the actual value of the variable to be predicted and the prediction of the model.

**Usage**

```
plot_real_prediction(real, pred, titles = c("Real", "Prediccion"))
```

**Arguments**

real	the real values in training-testing.
pred	the prediction values in training-testing.
titles	Labels on the chart

**Value**

echarts4r plot

**Author(s)**

Ariel Arroyo <luis.ariel.arroyo@promidat.com>

---

regressoR

*Regression Data Analysis System*

---

**Description**

Perform a supervised data analysis on a database through a 'shiny' graphical interface. It includes methods such as linear regression, penalized regression, k-nearest neighbors, decision trees, ada boosting, extreme gradient boosting, random forest, neural networks, deep learning and support vector machines.

**Details**

Package:	regressoR
Type:	Package
Version:	4.0.2
Date:	2024-11-15
License:	GPL (>=2)

**Author(s)**

Oldemar Rodriguez Rojas

Maintainer: Oldemar Rodriguez Rojas <oldemar.rodriguez@ucr.ac.cr>

**See Also**

Useful links:

- <https://promidat.website/>
- Report bugs at <https://github.com/PROMiDAT/predictoR/issues>

---

run\_app

*Run the Shiny Application*

---

**Description**

Run the Shiny Application

**Usage**

```
run_app(...)
```

**Arguments**

...            A series of options to be used inside the app.

---

summary\_indices

*summary\_indices*

---

**Description**

summarizes a variable by returning the minimum, first quartile, third quartile and maximum value.

**Usage**

```
summary_indices(data)
```

**Arguments**

data            a numeric vector.

**Examples**

```
summary_indices(iris$Sepal.Length)
```

# Index

- \* **package**
  - regressoR, [11](#)
- as\_string\_c, [2](#)
- e.rdim.rmse, [3](#)
- e.rdim.vare, [3](#)
- e\_boost\_evol\_error, [5](#)
- e\_boost\_importance, [6](#)
- e\_coeff\_lambda, [6](#)
- e\_JS, [7](#)
- e\_posib\_lambda, [8](#)
- e\_rf\_error, [8](#)
- e\_rndf\_importance, [9](#)
- exe, [4](#)
- extract\_code, [4](#)
- general.indices, [10](#)
- plot\_real\_prediction, [10](#)
- regressoR, [11](#)
- regressoR-package (regressoR), [11](#)
- run\_app, [12](#)
- summary\_indices, [12](#)